



CIN:U40109RJ2000SGC016486

Jaipur Vidyut Vitran Nigam Limited
Regd. Office: Vidyut Bhawan, Jyoti Nagar, Jaipur-5
Tel: 2747039: Fax: 0141-2747039
Website: www.jaipurdiscom.com
E-mail: cpaotr@jvvn.in

No.JPD/CMD/OSD (ATR)/Rev. /D. 4493

Jaipur, dated: 24/02/2016

The Superintending Engineer (),
Jaipur Discom,

Sub:-Installation of prepaid meters on drinking water schemes of PHED & Janta Jal Yojna.

As per FRP scheme 2012, prepaid meters are to be installed on all Government connections instead of conventional meters. To achieve the mandate given in the FRP, field officers are being installing prepaid meters on drinking water schemes of PHED & Janta Jal Yojna. A period of 30 days grace period is being allowed at preset for recharge of the amount but there is no online communication features in the prepaid meter about the balance value available in the meter. In some areas recently supply was disconnected automatically which create unrest among the public due to non supply of water.

This issue was discussed at the level of State Govt. and to avoid such situation of non supply on the drinking water schemes, following directions are issued for strict compliance:-

- (1) Henceforth pre paid meters are not to be installed on new connections as well as existing connections of PHED.
- (2) Henceforth pre paid meters are not to be installed on the drinking water schemes under Janta Jal Yojna at new connections as well as existing connections.
- (3) CE(MM) may ensure that present grace period of 30 days may be enhanced to 90 days in respect of drinking water schemes of PHED and Janta Jal Yojna.
- (4) Rebate prescribed by the RERC for installation of prepaid meter will not be admissible to these connections because grace period has been extended upto 90 days. The SE(IT) will ensure that suitable modification in the software is done.

2
X

- (5) During the discussions at the level of State Govt., it has been desired that connection wise details of Janta Jal Yojna be provided so that possibility to provide the amount of pending bills at State Govt. level may be explored.

Please provide the details in following format:-

Name of district	Name of connection with K.No.	Meter Number	Pending amount at the time of reporting	Estimated consumption amount during next financial year
1	2	3	4	5


It is, therefore, advised to please ensure for compliance of above directions and provide the required details within a period of seven days positively so that matter may be taken up at the State Govt. level to provide funds directly in respect of pending bills of Janta Jal Yojna.

Sd/-

(Bhaskar A. Sawant)
Chairman & Managing Director

Copy submitted / forwarded to:-

1. The Principal Secretary (Energy/PHED), Govt. Of Rajasthan, Jaipur.
2. The Secretary (Panchayati Raj), Govt. Of Rajasthan, Jaipur.
3. The Managing Director, Ajmer/Jodhpur Discom, Ajmer/Jodhpur for similar action.
4. The Chief Engineer (MM), Jaipur Discom, Jaipur.
5. The Zonal Chief Engineer (), Jaipur Discom, _____
6. The Superintending Engineer (IT), Jaipur Discom, Jaipur.


Chairman & Managing Director