

79

AJMER VIDYUT VITRAN NIGAM LIMITED
Hathi Bhata, Old Power House, Ajmer

NO. AVVNL/MD/SE(Plan)/STDP/F. D. **10292** Dt.

12 JAN 2005


The Zonal Chief Engineer (O&M),
AVVNL.,
Jhunjhunu.

Sub: -Agriculture connection case of Sh. Kajod Mal S/o Sh. Pabu Natt. Vilage
Malikpur Under AEn. (O&M), Reengus.

Ref: - Your letter No. AVVNL/ZCE/JZ/D. 2675 dT. 21-12-2004.

The case of Sh. Kajod Mal S/o Sh. Pabu Natt of village Malikpur under AEn. (O&M), Reengus received vide your above letter has been examined. In this regard, you are advised to initiate the action to release the Agriculture connection under SC category, even though the allotment of the land from the Govt. to the applicant is less than 5 years period as a special case. Please verify the fact that it is a genuine case of allotment from the Govt. to the applicant.

Encl: Case file


(Shikhar Agrawal)
Managing Director




AJMER VIDYUT VITRAN NIGAM LIMITED
OLD POWER HOUSE, HATHI BHATA, AJMER.

No. AVVNL/MD/Comm1./CO- /04-05/D. 11115 Dt: 19.02.2005.

ORDER - 649


A clarification has been sought by some of the field officers regarding amount to be taken for Thresher connection. The Tariff Order of 2004 and the Tariff Order of 2001 has similar provisions for use of threshers for one's own use from the same service connection on which pumps are used. Since the Thresher connection were released by taking amount of Rs. 1500 for 5 HP, Rs. 3000 for 10 HP and Rs. 4500 for 15 HP motor even in the financial year 2003-04, there is no reason why the same shall not be taken in this financial year as well.

The charging for Thresher connection, therefore, shall be made as it was done in the year 2003-04.


19/2/05
(Shikhar Agrawal)
Managing Director

Copy for information and necessary action to:

01. The Zonal Chief Engineer (O&M), AVVNL., All Ajmer Discom.
02. The Superintending Engineer (O&M), AVVNL., All Ajmer Discom.


19/2/05
Managing Director

672 SG (Plan)