

<p>g. Checking of isolator operation and its alignment.</p> <p>h. Checking of gas pressures like SF6 & N2 in circuit breakers/CTs etc.</p> <p>i. Assistance to RVPN in measurement of IR values of LA's, CT's & CVT's.</p> <p>j. Lubrication of defined parts of all equipments of all required points.</p> <p>k. Washing the equipments, in case oil stains are present, then washing is to be done with use of detergent solution.</p> <p>l. Cleaning of C&R panel from inside.</p> <p>m. Tightening of clamps & connectors and spacers on overhead bus conductors and gantries (at a maximum height of 25 meter using safety belts). Also lightening of clamp/connectors of all associated equipments connected to such overhead bus.</p> <p>n. Providing other related work assistance as may be required by In charge.</p>	<p>10 Nos.</p> <p>10 Nos.</p> <p>13 Nos.</p> <p>10 Nos.</p>	<p>Quartly (two times up to July 17)</p> <p>Quartly (two times up to July 17)</p> <p>Quartly (two times up to July 17)</p> <p>Quartly (two times up to July 17)</p>	<p>2332.00</p> <p>1892.00</p> <p>1666.00</p> <p>1666.00</p> <p>Total</p> <p>Part-A</p>	<p>46640.00</p> <p>37840.00</p> <p>43316.00</p> <p>33320.00</p> <p>161116.00</p>
---	---	---	--	---

Devi Arora (RVPN)

[Handwritten Signature]