

36

JAIPUR VIDYUT VITRAN NIGAM LTD.

JPD-6-26


No.JVVNL/CAO/F.215 /D.2427

Jaipur, Dt. 23.8.2001

C I R C U L A R

As per order dt.24.3.01 of the RERC, all new connections for agriculture category are required to be released in metered category and the existing flat rate agriculture consumers should also be transferred to the metered category within a period of 3 years. Similarly all such rural domestic connections which were released without installing meters under the provisions of erstwhile RSEB order No.RSEB/PS/CH/ DCO/D.2625 dt.12.9.99(CO-22) should be provided meters by 31st Aug.01 positively. It has been observed that after installation of meters in above referred categories, only input advice 2A has been sent /is being sent which is meant only for change of category but advice 3A containing the details of installation of meters is not being sent alongwith 2 A. Computer agencies are unable to prepare the bill until advice 3A is received.This omission adversely affect to our revenues. Moreover as per Comml. Order No.JPR-5-18 dt.17.4.01, rebate of 5% on the total bill of the consumer onwards 3rd monthly bill is to be allowed in case the defective/stopped meter is not replaced by the Nigam.

It is,therefore, enjoined upon all concerned that as soon as meters are installed or replaced, the advice 3A also be sent immediately to the computer agency for correct billing. Incharge of computer billing at various Headquarters will not accept advice 2A in respect of above categories in absence of advice 3A.


(A.K.JAIN)

CHIEF ACCOUNTS OFFICER

Copy to the following for information and necessary action:-

1. The Chief Engineer(O&M),JVVNL,Jaipur.
 2. The Chief Accounts Officer,Ajmer Discom/Jodhpur Discom, Ajmer/Jodhpur.
 3. The Superintending Engineer(),JVVNL, _____.
 4. The Sr. Accounts Officer(),JVVNL, _____.
 5. The Executive Engineer(),JVVNL, _____.
- 4 Nos.spare copies of Circular are enclosed to endorse unit officers.


CHIEF ACCOUNTS OFFICER