

JPD-6/281

**Jaipur Vidyut Vitran Nigam Limited**  
(Office of the Sr. Accounts Officer (H.Q.)  
Shed No. 6 Jyoti Nagar, Janpath, Jaipur 302005  
Tele- Fax No. 0141-2747039


No. JPD/Sr.AO(HQ)/REV/F.215(IV) /D. 1602 Jaipur, dated: 29/9/08

**CLARIFICATION**

As per order No. JPD/ Sr. AO(HQ) /Rev./F.215(iv)/D. 1437 dated 11.9.2008 issued from this office, where meter is not displaying it's reading, consumers are to be billed on average basis apart from indicating character code "A" in MRR (A-10), MB-11 & spot billing machines, as the case may be.

Doubts have been raised from certain corners that whether average in such cases has to be charged in accordance with the provisions prescribed under clause 27 or clause 37 of the TCOS - 2004.

The matter has been examined and it is hereby clarified that since reading of such meters could be taken through the HHD, as such average should be billed as per provisions prescribed under clause 37 i.e. on the basis of average of the previous four months consumption and on meter reading becoming accessible, average already charged is adjustable accordingly.

  
(K.L. Gupta)  
Sr. Accounts Officer (H.Q.)

Copy to the following for information and necessary action.

1. The Chief Engineer/Dy.Chief Engineer ( \_\_\_\_\_ ),JPD, \_\_\_\_\_
2. The Superintending Engineer( \_\_\_\_\_ ),JPD \_\_\_\_\_
3. The Sr.AO/AO( \_\_\_\_\_ ),JPD \_\_\_\_\_
4. The Executive Engineer ( \_\_\_\_\_ ),JPD \_\_\_\_\_ along with 4 spare copies for their unit office .
5. M/s \_\_\_\_\_

  
Sr. Accounts Officer (H.Q.)