

**JAIPUR VIDYUT VITRAN NIGAM LIMITED**  
**OFFICE OF THE SUPERINTENDING ENGINEER (MM)**  
**OLD POWER HOUSE PREMISES, BANI PARK, JAIPUR.**  
TELEPHONE: 0141-2202607 / FAX: - 0141-2202025

SPECIFICATION NO.JPD/SE/MM/TN-2348

**Insulated Pliers 8", Insulated Screw Driver 10" & Insulated Screw Driver 12".**

Last date for receipt of tenders	<b>08.06.2016 upto 2:30 PM</b>
Date & time of tender opening	<b>08.06.2016 at 3:00 PM</b>
Cost of Specification	Rs. 2,500.00 per set
Validity of tenders required upto	120 days after the date of opening of tender.
Earnest money to be deposited	Rs. 50,000.00 or Exemption Certificate or vendor registration of category class 'E' or above.

FOR SUPERINTENDING ENGINEER(MM)

**IMPORTANT NOTE:**

1. Earnest Money as per clause No. 1.03 of section-I of this specification or vendor's registration with JAIPUR DISCOM under category 'A' or above as per clause 1.5.3 of GCC and cost of Bid document as per clause No. 1.02.9 of section -I "**Instructions to Bidders**".
2. The Central and State Govt. undertaking shall be exempted from furnishing of earnest money deposit provided that they furnish a certificate/documentary evidence in support of their being Govt. (Central / State) undertaking.
3. **The tender enclosing all schedules III to IX duly completed should be furnished as per section-I "Instructions to Bidders" of this specification.**
4. The technical deviations including GTP and commercial deviations, if any, shall invariably be stated in Schedule-VI (A & B) Departure from specifications attached with this specification. **Mentioning of such deviations elsewhere will not be considered. The standard printed conditions of sales and other if any attached with the tender will not be considered.**
5. The prices offered against this specification shall be FIRM.

## **SECTION– III (VOLUME-A)**

### **TECHNICAL SPECIFICATION FOR INSULATED PLIERS AGAINST TN: 2348**

#### **3.1 SCOPE:**

This specification covers design, manufacture, testing at manufacturer's works before dispatch, supply and delivery of insulated plier 200mm Taparia/Ambila/Everest/Jhalani/Venus make at our Nigam stores.

#### **3.2 REQUIREMENT :**

The requirement of Insulated Plier is **9857 Nos.**

This quantity is tentative and may be increased/ decreased to any extent at the time of placement of order.

#### **3.3 STANDARD FOR MATERIAL:**

The material shall be manufactured and tested in accordance with the following specification: -

The Insulated Plier 200 mm having side cutting combination plier, universal type with joint cutter 200 mm size drop forged conforming to IS:2615 and IS:3650/1981 (with latest amendment). The handle should be fully insulated with velvet PVC dip coated, ISI Mark only.

#### **3.4 SAMPLES:**

The tenderer shall furnish one sample of the offered item **free of cost** along with the bid failing which the offer is likely to be ignored.

#### **3.5 PREFERENCE:**

The offers for standard make bearing ISI certification mark and directly from the manufacturers quoting shorter delivery period shall be preferred.

#### **3.6 BIS LICENSE:**

The tenderer must furnish photocopies of BIS license of insulated Plier failing which the offer may be ignored and rejected.

**3.7 ROUTINE AND ACCEPTANCE TEST:**

The material shall be subjected to all routine and acceptance test specified in the latest edition of ISS, before dispatch such tests shall be witnessed by the inspecting officer of the Nigam.

**3.8 PACKING:**

Each item should be suitably and properly packed as per manufacturer's standard practice. The packing should be able to withstand rough handling during transit of material at various destinations.

**3.9 AUTHORIZATION CERTIFICATE:**

Authorization letter from the manufacturers confirming that you are the authorized dealer/distributor in the region and you are authorized to quote on their behalf shall be enclosed along with tender offer. In case of offering an imported brand a letter from the manufacturer confirming that you are their authorized representative in the country and authorized to quote on their behalf shall be enclosed along with tender offer.

**3.10 SCHEDULES:**

1. Any deviation from technical and commercial specification shall be brought out separately on deviation sheets (Schedule-VI-A & B). Deviations indicated at other place of tender shall not be entertained.
2. All the schedules as per tender specification shall be returned duly filled and completed.

## **SECTION– III (VOLUME-B)**

### **TECHNICAL SPECIFICATION FOR SCREW DRIVERS AGAINST TN: 2348**

#### **3.1 SCOPE:**

This specification covers design, manufacture, testing at manufacturer's works before dispatch, supply and delivery of insulated Screw Driver Taparia/Ambila/Everest/Jhalani/Venus make at our Nigam stores.

#### **3.2 REQUIREMENT:**

The requirement of Screw Driver is as under: -

- i) 6x250 mm (10") – 3639 Nos.
- ii) 8x300 mm (12") – 3638 Nos.

The quantity mentioned above is tentative and may be increased/decreased to any extent at the time of placement of order.

#### **3.3 STANDARD FOR MATERIAL:**

The material shall be manufactured and tested in accordance with the following specification: -

Insulated spindle blade Screw Driver (6x250mm, 8x300mm) {Engineering pattern and Electrician's pattern} manufactured in accordance with IS: 844/1979 (with latest amendment). Its handle shall be manufactured from good quality of plastic or cellulose acetate and its insulation should withstand 2800 volts (RMS) A.C. and 4000 volt D.C. The metal portion of the Screw Driver shall be circular and shall also be covered with insulated sleeve.

#### **3.4 SAMPLES:**

The tenderer shall furnish one sample of each size of the offered item **free of cost** along with the bid failing which the offer is likely to be ignored.

#### **3.5 PREFERENCE:**

The offers for standard make bearing ISI certification mark and directly from the manufacturers quoting shorter delivery period shall be preferred.

**3.6 BIS LICENSE:**

The tenderer must furnish photocopies of BIS license of insulated Screw Driver failing which the offer may be ignored and rejected.

**3.7 ROUTINE AND ACCEPTANCE TEST:**

The material shall be subjected to all routine and acceptance test specified in the latest edition of ISS, before dispatch such tests shall be witnessed by the inspecting officer of the Nigam.

**3.8 PACKING:**

Each item should be suitably and properly packed as per manufacturer's standard practice. The packing should be able to withstand rough handling during transit of material at various destinations.

**3.9 AUTHORIZATION CERTIFICATE:**

Authorization letter from the manufacturers confirming that you are the authorized dealer/distributor in the region and you are authorized to quote on their behalf shall be enclosed along with tender offer. In-case of offering an imported brand a letter from the manufacturer confirming that you are their authorized representative in the country and authorized to quote on their behalf shall be enclosed along with tender offer.

**3.10 SCHEDULES:**

1. Any deviation from technical and commercial specification shall be brought out separately on deviation sheets (Schedule-VI-A & B). Deviations indicated at other place of tender shall not be entertained.
  3. All the schedules as per tender specification shall be returned duly filled and completed.
-

<b>GUARANTEED TECHNICAL PARTICULARS INSULATED PLIERS AND SCREW DRIVERS AGAINST TN-2348.</b>				
<b>S. N.</b>	<b>NAME OF FIRM</b>			
	<b>Parameters</b>	<b>Requirement.</b>		
	<b>ITEM</b>	<b>INSULATED PLIERS</b>	<b>SCREW DRIVERS (6x250mm)</b>	<b>SCREW DRIVERS (8x300mm)</b>
1	Applicable Standard			
2	MAKE			
3	TYPE			
4	SIZE			
5	INSULATION WITHSTAND LEVEL			