


ALL DIMENSIONS ARE IN MM.


STRAIN CLAMP




NOTE:-

- ① ALL OF MATERIAL AS PER OUR TENDERS SPECIFICATION AND Q.T.P.
- ② TOLERANCE IN WT ± 5%
- ③ AS PER TOLERANCE AS PER IS: 2185 (PART-1) 1955

Dimension & U.P. Amount -
 Dia 37mm ± 0.7mm
 O.V.A. 1.6mm ± 0.2%
 ④ BREAKING STRENGTH OF THE CLAMP - 4500 kg



BALL EYE



JODHPUR VIDYUT VITRAN NIGAM LIMITED
 SECUNDERABAD, JODHPUR
 11 KV Disc Insulator H/W Fitting
 4SKN BBS TYPE


Appendix I (B)
 TN-1107

NOTE :-

- ① B/M OF MATERIAL AS PER OUR TENDER NOTIFICATION AND G.T.P.
- ② GENERAL TOLERANCE AS PER IS: 2486 (PART-1) 1993
DIMENSIONS UPTO AND INCLUDING 35MM
OVER 35MM
- ③ TOLERANCE IN WT.

11KY I (C)
TN-1407

TOLERANCE
 ± 0.7 MM.
 $\pm 2\%$
 $\pm 5\%$



CROSS-ARM STRAPS

ALL DIMENSIONS ARE IN MM

JODHPUR VIDYUT VITRAN NIGAM LIMITED
SECMMS, JODHPUR

Cross Arm Straps for 11KY I (C) and
B&S Hardware fittings.

