

INDEX

Section-I	Instructions to bidders with addendum/corrigendum	For e-Tendering
Section-II	General Conditions of Contract with addendum/corrigendum	
Section-III	Technical Specification	
Schedule-I	Schedule of Requirement	
Schedule-II	Price Variation Formula	
Schedule-III	Detail of applicable Standards	
Schedule-III-A	Pre- Qualification Requirement (PQR)	
Schedule-IV	BOQ (Price Schedule)	To be filled in attached MSXL file (BOQ) hosted with
Schedule-IV-A	Details of tendered quantity, quantity offered along with justification with reference to qualification requirement.	The bidders are required to justify quantity offered as per qualifying requirement.
Schedule-V	Guaranteed Technical Particulars	
Schedule-VI-A	Departure/deviation from Technical Specification.	
Schedule-VI-B	Departure/deviation from commercial terms & conditions of the specification.	
Schedule-VII	List of past supplies.	
Schedule-VII A	C.A Certificate for quantity justification	
Schedule-VIII	Delivery Schedule	
Schedule-IX	List of equipment & technical hands available with the firm.	
Schedule X	Format of Affidavit for Rajasthan MSME	
General	Amendments in ITB & GCC	
Appendix-A	Performa for Bank Guarantee in lieu of Bid Security	

1.

Tender documents will be made available on e-Tendering portal www.eproc.rajasthan.gov.in The bidders, in their own interest are requested to read very carefully the tender document before submitting the bid only through online on website www.eproc.rajasthan.gov.in . The bidders can download bid up to 04:00 p.m. one day prior to schedule date of opening of respective bid mentioned above documents and submit their bids online up to 12:00 p.m. on schedule of respective bid mentioned above.

- Eligible bidders should submit their bid well in advance instead of waiting till last date JdVVNL will not be responsible for non-submission of bids due to any website related problems.
- The cost of Tender specification **Rs. 2950/-** (Non-Refundable) to be paid by Demand Draft in Favour of the Sr. Accounts officer(Cash & CPC), JdVVNL, Jodhpur and tender processing fees **Rs. 1000/-** shall be payable by demand draft in favour of The Managing Director RISL, Jaipur (Non- Refundable). **The bidders are required to deposit all these payments in the office of the SE(MM&C), JdVVNL, Jodhpur up to 4.00 PM one day prior to date of tendering otherwise their bids are liable to be rejected.**
- The Bid Security amount (as applicable) to be paid by demand draft/banker's cheque in favour of SR.AO(CASH & CPC), JdVVNL, Jodhpur (Payable at jodhpur) **342003 up to 4.00 p.m upto one WORKING day prior to schedule date of opening** of respective bid or Bank guarantee, in specified format, of a scheduled bank in favour of superintending Engineer (MM&C), JdVVNL, Jodhpur be deposited to the Sr. Accounts Officer (MM&C), JdVVNL, New Power House, Industrial Area, Jodhpur-342003 **up to 4.00 p.m. up to one WORKING day to schedule date of opening** of respective bid and obtain a receipt/acknowledgement thereof. No other mode of deposit shall be accepted. At the time of depositing the Bid Security amount or Bank Guarantee, the bidder shall also furnish self attested and duly attested by Notary, the documentary evidence of SSI unit of Rajasthan or of sick unit (as applicable) along with affidavit as per schedule X on Non-Judicial Stamp of Rs. 100/-.

The Bank Guarantee against Bid Security be issued by Nationalized / Scheduled Bank. The same may be accepted after confirmation by issuing Bank. If any Bid Security Bank Guarantee not is proper format / not confirmed by the issuing Bank the same would not be accepted and the bidder would be immediately shorted out from bid process.

JODHPUR VIDYUT VITARAN NIGAM LIMITED
OFFICE OF THE SUPERINTENDING ENGINEER (MM&C)
NEW POWER HOUSE, INDUSTRIAL AREA, JODHPUR –342 003
Corporate Identity Number (CIN)-U40109RJ2000SGC016483 GST No. 08AAACJ8578R1ZJ

TELEPHONE: 0291-2651376

FAX: 0291-2746539

Mail Address: semmcjdvn@gmail.com**TENDER SPECIFICATION NO. JdVVNL/SE(MM&C)/EIIIAIII/TN-1420**

Tenders are hereby invited in e-procurement system for purchase of I) UNGALVANISED 42' LONG 33 KV DOUBLE CIRCUIT LATTICE STRUCTURE ALONG WITH THREE CROSS ARMS AND 48 NOS. NUTS & BOLTS II) 33 KV SINGLE CIRCUIT UN-GALVANISED STEEL LATTICE STRUCTURE (36' LONG) WITH ONE 33 KV CROSS ARMS (CHANNEL) ONE TOP HAMPER & 48 NOS. MS BOLTS WITH NUTS under TN-1420.

Tenders are to be submitted online in electronic format on website <http://eproc.rajasthan.gov.in>.

The details are as under-

S. No.	Name of Item	Quantity	Estimated Unit F.O.R. Destination Price
1	UNGALVANISED 42' LONG 33 KV DOUBLE CIRCUIT LATTICE STRUCTURE ALONG WITH THREE CROSS ARMS AND 48 NOS. NUTS & BOLTS	1423 sets / 826.736 MT	Rs. 44677.74/MT
2	33 KV SINGLE CIRCUIT UN-GALVANISED STEEL LATTICE STRUCTURE (36' LONG) WITH ONE 33 KV CROSS ARMS (CHANNEL) ONE TOP HAMPER & 48 NOS. MS BOLTS WITH NUTS	7001 sets / 3,149.40 MT	Rs. 46610.00/MT

A	NIT No.	TN-1420
B	Cost of Specification	Rs. 2,950.00 per set (Two Thousand Nine Hundred & Fifty only)
C	Processing of RISL	Rs. 1,000.00 per set (One Thousand only)
D	Bid security to be deposited For 42 feet Double Circuit Lattice Structure set and 36 feet Single Circuit Lattice Structure set	General Bidder : Rs 3674605.00 Sick Unit : Rs 1837302.00 SSI unit of Rajasthan: Rs. 918651.00*
E	Validity	120 days from the next date of opening of techno-commercial bid.
F	Base date for price variation	1 st day of one month prior to the date of opening of the bid

***In case SSI unit of Rajasthan quotes the less than the tendered quantity, then they are required to furnish Bid security @ 0.5% of the value of the quantity offered by them, failing which bid shall be considered non-responsive.**

The micro , small & Medium Scale Industries of Rajasthan and sick Industries , other than Small Scale Industries , whose cases are pending before the Board of Industrial and Financial Reconstruction (BIFR) shall furnish self attested documentary evidence duly attested by notary to claim the above.

IMPORTANT DATES:

S.N.	Events	Date & Time	Location
1	Date of downloading of tender specifications	Up to 14.03.2018 (6:00 PM)	www.jdvvn.com & http://eproc.rajasthan.gov.in
2	Deposit of cost of Tender Specifications & Earnest Money and furnishing of Processing fee	Up to 14.03.2018 (4:00 PM)	Office of Sr. A.O (Cash & CPC) / SE (MM&C), JdVVNL , New Power House, Industrial Area, Jodhpur
3	Last Date & time of submission of electronic bid	Up to 15.03.2018 (12:00 PM)	http://eproc.rajasthan.gov.in
4	Opening of Technical Bid	Up to 15.03.2018 (3:00 PM)	http://eproc.rajasthan.gov.in
5.	Opening of Price Bid	To be intimated separately to the qualified bidders	http://eproc.rajasthan.gov.in

SECTION-III

TECHNICAL SPECIFICATION FOR SUPPLY OF I) UNGALVANISED 42' LONG 33 KV DOUBLE CIRCUIT LATTICE STRUCTURE ALONG WITH THREE CROSS ARMS AND 48 NOS. NUTS & BOLTS II) 33 KV SINGLE CIRCUIT UN-GALVANISED STEEL LATTICE STRUCTURE (36' LONG) WITH ONE 33 KV CROSS ARMS (CHANNEL) ONE TOP HAMPER & 48 NOS. MS BOLTS WITH NUTS UNDER TN-1420.

1. SCOPE

This specification covers fabrication, testing & delivery of fabricated steel items as a complete package, complete in all respect as per GTP/Drawings (to be provided by the purchaser to the successful bidder). The steel sections generally used, tentative unit weight & BOM of fabricated item is enclosed at Schedule-I. The final bill of material for the purpose of payment shall be prepared and submitted by the supplier after approval of model assembly by the purchaser.

2. CLIMATIC CONDITIONS

I. Peak ambient temperature	50 Degree C
II. Maximum average ambient temperature	40 Degree C
III. Maximum temperature attainable	60 Degree C
IV. Maximum relative humidity	100 %
V. Minimum relative humidity	50 %
VI. Average number of thunder storm days per annum	40
VII. Average number of rainy days per annum	100
VIII. Average annual rainfall	10-100 cm
IX. Maximum wind pressure	195 Kg/sq.m
X. Altitudes not exceeding	1000 mtrs.

3. REQUIREMENT

The approximate quantities required of finished fabricated steel items are indicated in the Schedule-I (schedule of requirement along with approximate weight).

The quantities mentioned in the schedule of requirement (Schedule-I) are provisional. However, the net quantity shall be determined later-on at the time of finalization of the tender. The purchaser reserves the right to increase or decrease the tendered quantity/ weight of structure. The purchaser also reserves the right to split the quantity and to entrust the order for the supply on one or more Suppliers. The bidder shall agree to supply part quantity ordered on him at the rates/ prices mentioned in the tender or accepted by the purchaser.

4. DELIVERY

The maximum commencement period allowed shall be 30 days from the date of receipt of purchase order and entire ordered quantity shall be completed in **6 (six)** months thereafter at equal bimonthly rate. The bidder is required to quote bimonthly delivery. In case ordered quantity is different than quoted quantity, bimonthly delivery shall be adjusted proportionately. **Tender in which bimonthly delivery is not indicated likely to be ignored.**

5. STANDARDS :

All materials and equipments shall comply in all respect with the requirements of the latest edition of the relevant Indian Standard Specification(s) except as modified in this specification. Where the relevant ISS is not available, the material / equipment should comply the latest BSS. All the items should be made / fabricated/tested from steel sections conforming to IS:2062 (latest amended).

6. FINANCIAL RESOURCES AND EXPERIENCE

The bidder shall furnish the details regarding his previous experience in performing same or similar comparable work, the technical strength and manufacturing facilities available and also financial capability along with the tender. The bidder is also required to furnish the following information.

- a. Standing of the firm as manufacturer/Supplier
- b. Approximate qty, fabricated so far at his works on monthly basis.
- c. Testing facilities available at his works.

7. MATERIAL:

The Supplier shall make his own arrangement for the procurement of steel sections before commencement of work. The purchaser shall be at liberty to have samples of steel used, tested / checked in any laboratory at his own cost and reject the supply, if it is found below the required standard.

All the material required for fabrication shall be stocked in adequate quantity by the Supplier to ensure the progress of the work is not jeopardized. **No relaxation in the delivery time shall be allowed on the pretext of non- availability or short supply of raw materials.**

8. WORKMANSHIP:

The fabrication shall be done in such a way that there is a good finish of the fabricated structures. The steel structure shall be fabricated accurately adhering to dimensions as per the approved drawings. All the steel sections shall be carefully leveled/ straightened and made true to method which shall not injure the material so that when assembled the adjacent surface are in close contact through out. No rough edges shall be permitted anywhere throughout the work. Holes must be perfectly circular. The tolerance(s) as per drawing/ clause hereunder is permissible. All burrs left by drills or punches shall be removed completely. No bolts holes shall be more than **1.5 mm** bigger than the corresponding bolt diameter.

In general all fabrication work shall conform to provision of IS-802 (part-I) 1978 latest amended. However the details given in this specification shall prevail in specified items. The overlapping of the M.S.Flat on M.S.angle shall be minimum 30 mm.

The holes near the bend lines of absent member, on both sides of bent lines shall be punched/ drilled after bending and relative position of these holes, shall be maintained with the use of proper templates/jigs and fixtures.

Punched holes must be square to the plates and the wall of the holes parallel. The following maximum tolerance of accuracy of punched holes is permissible.

- a) Holes must be perfectly circular and no tolerance in this respect is permissible.
- b) The maximum allowable difference in diameter of the holes on the two sides of plates or angle is 0.8mm i.e. the allowable taper in punched holes should not exceed 0.8 mm on diameter.
- c) Holes must be square with the plates or angles and slant holes will not be permitted.

All burrs left by drills or punches shall be removed completely. Drifting or riming to enlarge defective holes shall not be permitted. Minimum edges distance from the centre of any bolt holes shall not be less than what has been indicated hereunder

Dia of bolts in mm	Min. flange width of section in mm	Min.rolled edge distance in mm	Min. sheared edge distance in mm
16	45	20	23

9. DRAWING & MODEL ASSEMBLY :

3 sets of drawing shall be furnished by the successful bidder based on JdVVNL drawing for according approval of the purchaser before commencement as per clause No.1.12.1 of GCC(Section-II).

The Supplier shall offer one set of model assembly (proto type) for the respective structure as per the drawings provided to him for checking/ approval of the purchaser before commencement of supplies. The firm who have already supplied same item under previous TNs as per same drawing/design and specification in any DISCOM (Jaipur, Ajmer & Jodhpur) during last three years from the date of opening of Techno-Commercial Bid shall be exempted from approval of model assembly.

In case any deviation is detected, during the process of preparing the model assembly, the Supplier shall intimate the purchaser or his authorized representative at the time of inspection of model assembly. The final bill of material shall be as per approved bill of material.

After inspection and checking of the model assembly of lattice structure, the same shall be type tested for Radiography inspection (X-rays) of welding joint at any independent NABL Accredited Laboratory or CPRI/Govt. approved lab.

The Supplier shall take-up the mass fabrication of the structure(s) only after the purchaser has approved the model assembly along with bill of material.

Any period taken beyond 30 days for approval of model assembly shall be to bidders account. No extra time shall be allowed in commencement period in getting the prototype approval.

10. MARKING

Each individual structure / section shall carry a code number conforming to component number given to it in the drawing / Bill of material. The code number of approved size shall be stamped with a metal dye of 16 mm size on the member and shall be legible. The name of manufacturers in suitable code and the word “**JUD**” & “**TN No**” shall also be stamped / punched on each individual section with metal dye of not less than 16 mm size.

If the above marking is not found on the material received in the stores, the receipted challan shall not be given by the concerned stores. The challan shall only be issued after verification of material by the Store officer.

11. INSPECTION, TESTING & CHECKING:

The finished product before acceptance shall be subject to inspection in respect of workmanship, checking of dimension/weight & testing as per requirement of relevant IS:2062 (latest amended), approved drawings and bill of material, at the suppliers works if not supported by test certificates of main producers viz. SAIL/TISCO/RINL. The certificate for type test (chemical composition & mechanical properties test) issued by prime producer(s) shall be furnished along with the inspection call to the SE(MM&C), otherwise testing shall be arranged at independent Lab on the cost of supplier. The certificate and relevant invoices shall be in the name of the firm on whom the order is placed by the Nigam. **In case bidder use the steel sections manufactured by prime producers then the inspecting officer shall verify and record in the inspection report regarding stamping and mark of prime producers.** The certificate(s) in the name of other parties/sources shall not be accepted and in such cases the tests for chemical and mechanical properties shall have to be arranged in the presence of inspecting officer(s) at recognized lab.

The supplier shall present the latest Calibration Certificate(s) of testing instruments/equipments to be used for the testing of the material covered in the purchase order to the authorized inspecting officer/inspecting agency of the purchaser. The testing instruments/meters/ apparatus etc. should be got calibrated by the supplier from time to time from independent test laboratory/ house having valid accreditation from National/ Accreditation Board for testing and calibrating laboratories for testing equipments/ original manufacturer having trace ability to NABL/NPL or equivalent.

The calibration certificate(s) should not in any case be older than one year at the time of presenting the same to the inspecting officer/inspecting agency of the purchaser. The testing instruments/equipments should be duly sealed by the Calibrating agency and be indicated in the calibration certificate(s).

The following facilities are to be provided by the supplier at his own cost to the inspecting officer of JdVVNL.

- (a) Suitable accommodation.

- (b) Local conveyance between arrival point, place of stay, works and departure point.
- (c) The supplier shall assist in arranging return ticket and reservation on the request of the inspecting officer for which the payment shall be made by the inspecting officer. In case of joint inspection, single or shared double room accommodation shall be provided.

12. TESTS

Test before dispatch:- The various steel section/structure before dispatch shall be subject to following test as per IS:2062(latest amendment) at the manufacturer's works

Routine test/acceptance test

- (i) Dimensional checking and visual inspection
- (ii) Weight checking
- (iii) Chemical composition test
- (iv) Mechanical property test

13. SAMPLING:

The inspection shall be carried out on each lot separately. The following number of pieces selected at random shall be subject to inspection/ testing and checking.

- a) Workmanship and dimension checking : 3 % samples from finished item.
- b) Chemical test : One sample of each steel section from the entire lot of material offered for inspection.
- c) Tensile test : One sample of each steel section from every 50 MT or Part thereof.
- d) Bend test : One sample of each steel section from every 50 MT or Part thereof.

14. TOLERANCE IN DIMENSIONS:

The tolerance(s) shall be permissible as per IS: 1852-1985 (latest amended). Further the following tolerance(s) on fabricated items will also be allowed.

- i) Tolerance in over all length ± 3mm
- ii) Tolerance in edge dimensions (centre of hole to end) ±2mm
- iii) Tolerance in hole centre ±2mm
- iv) Circular holes No tolerance
- v) Weight Tolerance +2% to (-) 4%

15. GUARANTEED TECHNICAL PARTICULARS:

The bidder shall furnish the guaranteed technical particulars of the material as required in the schedule-V by mentioning specific figures therein. Any item of the GTP left unfilled or simply written as per ISS etc. shall be considered as incomplete GTP and such tender is liable to be rejected.

16. PACKING AND FORWARDING

The finished items complete in all respect dully inspected and cleared for dispatch, shall have to be delivered in Nigam's stores located anywhere in Jodhpur Discom by Road. Unloading of material at store(s) is Suppliers responsibility.

17. CRITERIA FOR ACCEPTANCE

The inspected material should be strictly in accordance to the GTP of the specification otherwise the material shall be treated as rejected and shall not be accepted.

18. PRICES AND PRICE VARIATION

The prices shall be quoted in Rs. per MT indicating ex-works price, F&I and GST. The bidder shall quote the prices in **Schedule-IV** strictly in the manner prescribed in Clause No. 1.09 of section-I (Instructions to bidders) and Clause No.1.33 of section-II (G.C.C).

The quoted price shall be variable as per Price Variation formula given in this specification at Schedule-II without any ceiling. **The base date of price variation shall be 1.02.2018 and shall be governed as per clause No.1.10. of Instructions to bidders.**

19. WEIGHT

The weight of structure shall mean the weight of structures calculated by using standard sectional weights of all steel structural members of the sizes indicated in the fabrication drawings and/or subsequently revised drawings and bill of material without taking into consideration the reduction in weight due to drilling of bolt-holes, skew cuts, chamfering etc. or the increase in weight due to galvanization.

The material shall be acceptable if found within permissible tolerance limit i.e. +2% and (-) 4%.

20. PAYMENT

Payment for the supplied material shall be made as per the actual weight or weight as per BOM whichever is less. No payment shall be made for excess weight, but in case the weight is observed within permissible negative tolerance, the payment shall be made on actual weight basis, verified by consignee(s) in the store, accordingly.

Payment shall be governed in accordance with the clause No.1.42 of GCC.

21. QUANTITY TOLERANCE

A quantity tolerance of $\pm 2\%$ (plus minus two percent) shall be allowed on ordered quantity for completion of supply.

22. DELAY IN DELIVERY & DELAY IN DESPATCH

The delay in delivery and delay in dispatch shall invoke provisions of clause No. 1.24 of the GENERAL CONDITIONS OF CONTRACT (Sec.II) " .

23. PRICE FALL CLAUSE:

If lower rates are received /finalized in subsequent tender for this item then price fall clause shall be applicable as per clause 1.60 of GCC.

24. DEPARTURE FROM SPECIFICATION

Technical deviation including GTP and commercial deviation including delivery if any shall be mentioned in schedule-VI-A & Schedule-VI-B “departure from specification” attached with this specification. Mentioning of such deviations elsewhere in the offer will not be considered as deviation. The printed terms and conditions of sales and other if any attached with the offer will not be considered.

Any item not covered under the above technical specification shall be governed as per section-II (GCC).

25.0 Further, old tax structure wherever appearing in ITB & GCC may be replaced by GST as per notification wef 1.07.2017.

Further, GST registration number of Jodhpur Discom is 08AAACJ8578R1ZJ.

26.0 ADDITIONAL ORDER

Repeat order for additional quantities upto 50% of original ordered quantities , may be placed by the nigan on the same rates ,terms and conditions given in the contract.

27.0 Every Micro, Small & Medium enterprises of Rajasthan shall be required to submit an affidavit in schedule-X, along with duly filled bid document.

SCHEDULE - I**i) SCHEDULE OF REQUIREMENT FOR UNGALVANISED 42' LONG 33 KV DOUBLE CIRCUIT LATTICE STRUCTURE ALONG WITH THREE CROSS ARMS AND 48 NOS. NUTS & BOLTS UNDER TN-1420.**

S. No	Type of structure	Unit wt. in MT .(approx.)	Provisional qty. in sets	Total wt. in MT (approx.)	General sections involved
1	33 KV (D/C) Lattice Structure(42' long)	0.508060	1423	722.970	M.S.Angle 65x65x5 mm 75x75x6 mm 50x50x6 mm M.S.Flat 50x6 mm 50x10 mm
	33 KV Cross Arm (Channel)	0.022179	4269	94.682	Channel 100x50 mm
	M.S. Nuts & Bolts (M16x45N)	0.000133	68304	9.084	
	Total weight			826.736	

ii) SCHEDULE OF REQUIREMENT FOR 33 KV SINGLE CIRCUIT UN-GALVANISED STEEL LATTICE STRUCTURE (36' LONG) WITH ONE 33 KV CROSS ARMS (CHANNEL) ONE TOP HAMPER & 48 NOS. MS BOLTS WITH NUTS UNDER TN-1420.

Item No.	Section	Length of Members and Weight			
		Length MM	Qty. No.	Sect. Wt. Kg. / M.	Total Weight Kg.
1.	LEG L 50x50x6 MM	5500	8	4.5	198.00
2.	Belt L 50x50x6 MM	710	4	4.5	12.78
3.	Belt L 50x50x6 MM	645	4	4.5	11.61
4.	Belt L 50x50x6 MM	580	4	4.5	10.44
5.	Belt L 50x50x6 MM	505	4	4.5	9.09
6.	Belt L 50x50x6 MM	455	4	4.5	8.19
7.	Flat 50x10 MM	410	2	3.93	3.22
8.	Flat 50x10 MM	350	2	3.93	2.75
9.	Flat 50x10 MM	280	2	3.93	2.20
	Belt Flat 50x10 MM	265	2	—	2.08
10.	Bracing Flat 50x6 MM	470	4	2.36	4.44
11.	Bracing Flat 50x6 MM	475	4	2.36	4.48
12.	Bracing Flat 50x6 MM	535	4	2.36	5.05
13.	Bracing Flat 50x6 MM	535	4	2.36	5.05
14.	Bracing Flat 50x6 MM	535	4	2.36	5.05
15.	Bracing Flat 50x6 MM	550	4	2.36	5.19
16.	Bracing Flat 50x6 MM	585	4	2.36	5.52
17.	Bracing Flat 50x6 MM	660	4	2.36	6.23
18.	Bracing Flat 50x6 MM	665	4	2.36	6.27
19.	Bracing Flat 50x6 MM	705	4	2.36	6.65
20.	Bracing Flat 50x6 MM	850	4	2.36	8.02
21.	Bracing Flat 50x6 MM	860	4	2.36	8.12

22.	Bracing Flat 50x6 MM	875	4	2.36	8.26
23.	Bracing Flat 50x6 MM	960	4	2.36	9.06
24.	Bracing Flat 50x6 MM	960	4	2.36	9.06
25.	Bracing Flat 50x6 MM	960	4	2.36	9.06
26.	Bracing Flat 50x6 MM	1145	4	2.36	10.81
27.	Bracing Flat 50x6 MM	1150	4	2.36	10.86
28.	Belt Angle 50x50x6 MM	800	4	4.50	14.40
29.	Butt Joint L 65x65x5 MM	462	4	4.90	9.05
30.	Butt Joint Flat 50x6 MM	462	4	2.36	4.36
31.	Butt Joint Flat 50x6 MM	196	4	2.36	1.85
	Wt. of Tower only				417.20
32.	X-Arms Channel 100x50 MM	2320	1	9.56	22.18
33.	Top Hampers Flat 50x10 MM	1015	1	3.93	3.99
34.	MS Bolts & Nuts M 16x45		48	0.135	6.48
	Total weight in Kg.				449.85

Total weight	7001 sets		3,149.40 MT
---------------------	------------------	--	--------------------

SCHEDULE-II**PRICE & PRICE VARIATION FORMULA**

The bidder shall quote the rates in **Rs. per MT**, on variable price basis for items as detailed at **schedule-IV(BOQ)** of the specification. The price variation shall be calculated on the basis of formula detailed below :

$$P = P_0 \{0.11 + 0.66(SBIR/SBIR_0) + 0.23 (W/W_0)\}$$

where :

P= Ex-works Price payable as adjusted in accordance with the above formula

P₀= Ex-works Price quoted/confirmed

SBIR= Price of Steel Billets-Retail (as published by IEEMA).

This price is as applicable on the 1st working day of the month, Two months prior to the date of delivery.

SBIR₀= Price of Steel Billets-Retail (as published by IEEMA).

This price is as applicable on the 1st working day of the month, One month prior to the date of tendering.

W= All India Average consumer price index number for industrial workers, as published by the Labour Bureau, Ministry of Labour, Govt. of India (base: 2001= 100). This index number is as applicable on the first working day of the month, 4 months prior to the date of delivery.

W₀= All India Average consumer price index number for industrial workers, as published by the Labour Bureau, Ministry of Labour, Govt. of India (base: 2001= 100). This index number is as applicable on the first working day of the month, 3 months prior to the date of tendering.

The base date of price variation shall be 1.02.2018, and shall be governed as per clause No.1.10. of Instructions to bidders.

DETAILS OF APPLICABLE STANDARDS / SPECIFICATION/ MANUALS :

The material shall comply with the relevant provisions made in the following Indian Standards Specification (now BIS) with latest amendments.

1	IS:2062: (Latest amended)	Raw material & Method of testing
2	IS:1852 (Latest amended)	Rolling & cutting Tolerance

All materials and sections shall comply in all respect with the requirement of latest addition of relevant Indian Standard Specification except as modified in this Specification. Where the relevant ISS is not available, the material / sections should comply with the latest BSS. The entire item should be made/ fabricated from steel sections conforming to IS: 2062 (latest amended). Rolling and cutting tolerances for hot rolled steel products shall be governed as per IS:1852 (latest amended).

QUALIFICATION REQUIREMENT

The bidder should fulfill following qualifying requirements for successful participation in the tender along with relevant documentary evidence supporting each qualifying requirement without which the offer shall be considered non-responsive & rejected.

1.0 STATUS OF BIDDER:-

- a) The bidder should be a Manufacturer of offered items. The offers from sole selling agent/ authorized dealers shall not be entertained.
- b) Old/ New suppliers:- Any bidder located within or outside the state of Rajasthan has participated for the first time in a particular Discom & meeting minimum qualification requirement and has supplied the tendered material/or of higher rating in other utility shall be treated as an old supplier. Rajasthan's firms although supplied in past but not meeting minimum quantity supplied criterion including altogether new units which have not supplied any quantity but having adequate & required manufacturing and testing facility and technical know-how of the tendered material shall be considered as new firms and would be eligible for trial order only. In case of supply made to the licensed power utility outside India, the C.A. certificate furnished by firm shall be considered.

2.0 PAST SUPPLY & PERFORMANCE CRITERIA :-

The bidder shall meet both past supply and performance criteria as detailed below for opening of tenders:-

2.01 PAST SUPPLY:-

- 2.01.1 The bidder is required to quote for minimum 10% of tendered quantity failing which their offer may be considered Non-Responsive.
- 2.01.2 The bidder should have designed, manufactured / fabricated, tested and supplied to utility / Discoms / Govt. Departments at least 2 X QQ (QQ being the quoted quantity) of similar item / higher rating of tendered material / equipment in last 3 financial years from the date of opening of technical-commercial bid.
- 2.01.3 For assessment of past supplies (2QQ), the similar item/higher rating of tendered material/equipment shall cover all type of welded & non welded fabricated steel items i.e. 33/11 KV Sub-station structures(Urban)/ (Rural), sub-station structure for mounting of single phase and three phase distribution transformers of different ratings, 33 and 11 KV Cross Arms(channel/ angle) with Top hampers & clamps, Lattice structures, 33 & 11 KV Line DP sets, LT brackets(1200 mm and 600 mm), MS channel brackets 1.4 metre / 1.8 metre, stay clamps suitable for 8 metre & 9 metre PCC poles etc.

Note: Requirement of quantity manufactured, minimum quantity to be offered and amount of Bank Guarantee to be furnished in absence of test certificate shall be reduced to 25% for Rajasthan based units.

2.01.4 In support of fulfillment of the past supply criteria, the bidder shall furnish documentary evidence in the form of certificate from Chartered Accountant in the enclosed prescribed proforma only. This prescribed proforma should be furnished either in original or copy duly attested by Notary. The bidder shall also sign and affix seal on the C.A. Certificate. The certificate should have membership number with the name & address of the chartered accountant. Certificate should clearly indicate the quantity supplied, period of supply, voltage Class, Rating of the Transformer etc. in the format prescribed, any deviation to format or information diverted format, will not be considered and rejected.

Note:-The material supplied and accepted for same/higher rating for Turnkey projects to a licensed power utility/Govt. shall be considered for the purpose of evaluating criteria. The certificate given by C.A. shall indicate above quantity separately.

2.02 **PERFORMANCE CRITERIA:-**

2.02.1 i) If a bidder has supplied up to 50% of ordered quantity in previous tender up to date of opening of subsequent tender and scheduled delivery period expired, the bid of such bidder will not be opened in the Discom for that item.

ii) However, if the supplies have been completed for a quantity more than 50% but not completed up to date of opening of subsequent tender and scheduled delivery period expired, the quantity equal to the quantity pending in previous tender for that item shall be reduced from the subsequent tender quantity to be allocated to the bidder.

3.0 POOR RECORD OF PERFORMANCE AND DELIVERY :

The bidder who have been black listed in any of the state Discom or with whom business relations have been severed in Jodhpur Discom shall not be considered. Severment of business relations will be done in case of following circumstances for the period and with the recovery mentioned against each:

i) When vendor does not accept order awarded on its accepted price and terms and conditions or does not comply with contractual formalities.	Forfeiture of EMD/cancellation of vendor registration to recover amount of EMD along with severment of business relations for three years from the date of issue of order.
ii) When vendor complies with contractual formalities but does not commence supplies.	Levy of maximum recovery on account of delay in delivery along with severment of relations for a period of 2 years from the date of issue of order or in next two bids whichever is later.

4.0 (A) Black listing of a firm:

After having given Show Cause Notice of 30 days, and having established & cogent reasons for blacklisting of the firm as given below, the firm should immediately be

blacklisted for a period of 5 years indicating reasons of doing so, in the letter itself, and a copy of such blacklisting should be given to the firm, with the approval of CLPC:-

(i) There are sufficient and strong reasons to believe that the supplier or his employee has been guilty of malpractices such as manhandling/misbehavior with Government official by supplier or his partner/employee, bribery, corruption or abatement of such an offence in a position where he could corrupt Nigam's official, fraud, vitiating fair tender process including substitution of or interpolation in tender, mis-representation, pilfer-aging or unauthorized use or disposal of Nigam's material issued for specific work etc.

(ii) Where a supplier or his partner or his representative has been convicted by a court of Law for offences involving moral turpitude in relation to the business dealing or where security considerations including suspected disloyalty to the Nigam/state so warrant the blacklisting.

(iii) If the State Bureau of Investigation or any other authorized investigating agency recommends for blacklisting after completing the investigation.

Note: - 1 If a supplier after having tendered for a supply or after negotiations gives application voluntarily vitiating the fair tendering process, it shall also tantamount to malpractice.

Note:-2 A register containing the reasons for blacklisting the supplier as also the names of all the partner of the suppliers and the allied concerns coming within the effective influence of the blacklisted supplier will be maintained.

Note: - 3 A register of black listed supplier will be maintained which will not only include suppliers enlisted with the Enlisting Authority but also black listed suppliers in Nigam.

Note :-4 A Black listed supplier (i) shall not be entitled for registration in any of the Discom (ii) shall not be awarded any supply order in future in any Discom during the notified period.(iii) his registration if any shall stand cancelled immediately and his registration security /EMD/S.D. shall stand forfeited. (iv) In case of blacklisting of the firm by any one of Discom for the cogent prescribed reason(s) as stipulated above, the same shall be applicable to all the three Discoms and as a consequence of blacklisting, all the pending orders to that firm, will be cancelled in all three (3) Discoms with immediate effect. However in respect of completed/executed contract G.P. obligations as well as other liabilities shall be fulfilled by the supplier.

(B) Severment of Business relation:

(a) After having given Show Cause Notice of 30 days, and having established & cogent reasons for Severment of business relation as given below, the firm should immediately be severed the business relations for a period of 2 to 3 years indicating reasons of doing so, in the letter itself, and a copy of such severment should be given to the firm, with the approval of CLPC:-

(i) The supplier continuously refuses to pay Nigam dues without showing adequate reasons and where the purchasing authority is satisfied that no reasonable dispute attracting reference to Settlement Committee or Court of Law exists for the supplier's action of non-supply.

(ii) When vendor does not accept LOA/detailed purchase order awarded on its accepted prices and terms & conditions or does not comply with the contractual formalities.

(iii) When vendor/supplier who otherwise completed contractual formalities but does not commence supplies on the date of opening of technical bid of the fresh tender/completion of schedule delivery period whichever is later.

Note-1-In case supplier does not deposit outstanding dues towards Nigam, even after completion of severment period, the period of severment will continue.

2. Severment done purely/ mainly on account of non-deposition of dues against the supplier/vendor/contractor could be lifted by CLPC, if the dues are deposited prior to the expiry of such severment period.

3. Severment done by one Discom for non-supply of material and /or corresponding non-recovery of dues will not be effective in other Discoms except in respect of common purchase cases of three Discom.

4. On severment of business, the EMD/SD/vendor registration security will be forfeited.

5. The orders in execution satisfactorily will not be cancelled other than the order on which severment have been done.

I **DEBARMENT**

Reasons on which Debarment can be made:-

11 The competent authority may debar the supplier on account of his performance or other disabilities, if it is no longer considered fit to remain under vendor registration as per his obligation under vendor registration.

(ii) If at any subsequent stage of inspection of firms after award of contract, it is found that firm does not have sufficient tech. staff or required/necessary technical equipments, the purchasing authority can debar the firm for one year or next tenders whichever is later. The debarment will be lifted only on re-inspection of firm's works; the defects noticed earlier are fully rectified to the satisfaction of Nigam.

(iii) When contract agreement executed and supplies commenced but could supply only up to 50% of ordered quantity and scheduled delivery period expired, then the firm can be debarred for one year or next tender whichever is later in that Discom only for that particular item/rating/ capacity/size etc.

11 The suppliers who have been awarded contract for supply of material is not adhering to the periodic delivery schedule, the contract awarding authority reserve the right to terminate the contract and may debar the firm in participating in tender for a period of 2 to 3 years.

Note:-1. On debarment, the EMD/ SD/Vendor Registration security shall be forfeited.

Note:-. 2. If the firm is debarred in one Discom for any reasons then the same should not be applicable in other Discom subject to exception that in case of common Discoms purchases such debarment of a firm would be applicable to all three Discoms for that particular item and rating/capacity/size etc.

5.0 **APPEALS AND APPLICATIONS:-**

Appeal against the order of blacklisting, severment and debarment can be filed before BOD within a period of 3 months from the date of intimation. The letter of appeal will be addressed to the order placing authority. Who will process the case for placing the matter in B.O.D. with in a period 60 days. The BOD may reduce or waive the penalty, if sufficient reasons/supporting documents are furnished by the supplier.

GENERAL CONDITIONS : - (ALL CONDITIONS BE DULY SIGNED & SEALED)

- I) The bidder shall clearly indicate the deviations such as 'Technical Deviation & Commercial Deviations' in the prescribed proforma only. The deviations indicated elsewhere in the bid shall not be accepted.
- II) The bidder must clearly fill up each and every particular of guaranteed technical particulars annexed with Technical Specifications otherwise he will be responsible for Technical Non-responsiveness.
- III) All documents required in the prescribed format are to be furnished along with the bid itself only except an attested copy of BIS license (wherever it is required), failing which the bid will be summarily rejected.
- IV) However, a copy of BIS License may be submitted by the bidder up to the official working hours of one working day prior to the schedule / notified date of opening of price bid.

Signature of bidder
With stamp
Dated

SCHEDULE-IV-A

Must be filled in by the bidder and attach with technical bid

To,

The Superintending Engineer(MM & C)
Jodhpur Vidyut Vitran Nigam Limited,
Jodhpur

Dear Sir,

With reference to your invitation to tender against specification No.JUD/SE/MM&C/XEN-III/TN-1420 we agree to supply the following quantity.

S.No.	Particulars of item	Tendered quantity in sets	Qty. offered	Justification of quantity offered as per qualifying requirement.	Remarks
1	2	3	4	5	6
1	I) UNGALVANISED 42' LONG 33 KV DOUBLE CIRCUIT LATTICE STRUCTURE ALONG WITH THREE CROSS ARMS AND 48 NOS. NUTS & BOLTS	1423			
2	II) 33 KV SINGLE CIRCUIT UNGALVANISED STEEL LATTICE STRUCTURE (36' LONG) WITH ONE 33 KV CROSS ARMS (CHANNEL) ONE TOP HAMPER & 48 NOS. MS BOLTS WITH NUTS	7001			

1. The offer is valid for a period of 120 days from the next date of opening of Techno Commercial Bid of the tender.
2. The prices are variable with the base date 1.02.2018.
3. It is noted that the quantities as mentioned in the specification are approximate and we agree to supply any quantity as per your order.
4. The delivery shall strictly be in accordance with delivery clause. In case we fail to deliver the material, we are liable to pay recovery for delay in delivery as per clause No. 1.24 of this Section-II of this specification.
The material shall conform to your specification No. JUD/SE/ MM&C/XEN-III/TN-1420 and as per relevant ISS in all respect.
5. We confirm that we agree to all the terms and conditions as well as the technical stipulations of your specification No. JUD/SE/MM&C/XEN-III/TN-1420 and there are no deviations other than as specified in the Schedule-VI (A&B).

Signature of bidder
With stamp
Dated

SCHEDULE-V
(to be filled by the bidder)

GUARANTEED & OTHER TECHNICAL PARTICULARS FOR I) UNGALVANISED 42' LONG 33 KV DOUBLE CIRCUIT LATTICE STRUCTURE ALONG WITH THREE CROSS ARMS AND 48 NOS. NUTS & BOLTS II) 33 KV SINGLE CIRCUIT UN-GALVANISED STEEL LATTICE STRUCTURE (36' LONG) WITH ONE 33 KV CROSS ARMS (CHANNEL) ONE TOP HAMPER & 48 NOS. MS BOLTS WITH NUTS UNDER TN-1420.

A. GENERAL :

1. Name of firm :
2. Address for correspondence :
3. Address of Works :
4. GST NO. :

B. STANDARDS & SPECIFICATION :

1. Dimension : As per approved drawing.
2. Testing : As per IS:2062 (Latest amended). If not supported
- a) Steel : by test certificate of prime producers.

C. TOLERANCE

- a) Steel : As per IS:1852-1973 (Latest amended)
- b) Length : +/- 3 mm
- c) Edge dimensions : +/- 2 mm
- d) Hole centre : +/- 2 mm
- e) Weight tolerance : +2% to (-) 4%

D) GUARANTEED WEIGHT OF STRUCTURE : As per BOM

E) Properties of steel (for class `A')

(a) Chemical composition.

- | | |
|--------------------------|------|
| (i) Carbon % (Max.) | 0.23 |
| (ii) Manganese % (Max.) | 1.50 |
| (iii) Sulphur % (Max.) | 0.05 |
| (iv) Phosphorus % (Max.) | 0.05 |
| (v) Silicon % (Max.) | 0.40 |
| (vi) C.E. % (Max.) | 0.42 |

(b) Mechanical Properties:

- | | |
|----------------|-----|
| UTS (Mpa) Min. | 410 |
| Y.S.(Mpa) Min. | 240 |
| EI (%) Min. | 23 |

Signature of Bidder

Name _____

Designation _____

Common authorized seal of Bidder

JODHPUR VIDYUT VITRAN NIGAM LIMITED
A Govt. of Rajasthan Undertaking
DEPARTURE/DEVIATION FROM TECHNICAL SPECIFICATION

The bidder shall state under this schedule the departure from the Purchaser's specification in respect of technical is as under:-

S.No.	Main Deviations from Technical Specification.
-------	---

Certified that we agree to all the technical specification of the NIT except for the deviation to the extent indicated above.

(Signature)
Name & Designation
with seal of the bidder.

Schedule – VI (B)**JODHPUR VIDYUT VITRAN NIGAM LIMITED****A Govt. of Rajasthan Undertaking****DEPARTURE FROM COMMERCIAL TERMS & CONDITIONS OF THE SPECIFICATION**

The bidder shall state under this schedule the departure from the Purchaser's specification in respect of Commercial terms & conditions:-

S.No.	Main Deviations from Specification.
-------	-------------------------------------

Certified that we agree to all the commercial terms & conditions as laid down in General Conditions of Contract to the specification except for the deviation to the extent indicated above.

(Signature)
Name & Designation
with seal of the bidder.

JODHPUR VIDYUT VITRAN NIGAM LIMITED**A Govt. of Rajasthan Undertaking****LIST OF PAST SUPPLIES**

The bidder shall state under this schedule whether material and equipments, similar to those offered in the tender have been previously supplied by him. A list shall be given of such orders executed by him together with information regarding the names of purchasing organizations, quantities supplied and when the supplies were effected. This list should be in form given below:-

S.No.	Detailed particulars of items supplied	Qty in MT	Order No. & Date	Name & details of purchasing authority	Date of Completion
1	2	3	4	5	6

If executed partially to be mentioned (Qty. in M.T.)	whether still to be executed	Delivery stipulated in order	Remarks
7	8	9	10

Note: Separate schedules are to be furnished by the bidder for past supply to the JdVVNL, Jodhpur other State Electricity Boards and other Departments /Organisations.

(Signature)
Name & Designation
with seal of the bidder.

ScheduleVII-A**TO WHOMSOEVER IT MAY CONCERN**

This is to certify that M/s _____ (Complete address) have manufactured/ fabricated, tested and supplied similar item/higher rating of tendered material /equipments in last three financial years from the date of opening of Techno-Commercial bid to the Utilities/ Discoms/ Government Department/SEBs, as detailed out below:-

S.No.	Financial year in which material supplied	Detailed of Particulars of item(s) supplied	Name and particulars of purchasing authority	Order No. & date against which item supplied	Unit in set / MT	Ordered		Actual supplied up to		Remarks
						Quantity* (sets & MT)	Value (Rs.)	Quantity* (sets & MT)	Value (Rs.)	
1	2	3	4	5	6	7	8	9	10	11

***The quantity should be mentioned in sets as well as in MT.**

Signature

Signature of

Name & designation
With seal of the Bidder
Date.....
Place.....

C.A. of firm with seal
Name:
Address:

Membership No.:

The above particulars are true and correct based on explanations, records and books of accounts produced before us. Further the above certificate issued on the request of the Company.

C.A. firm (.....)

Note: The C.A. Certificate must be signed by the bidder and C.A. firm. The details i.e. address of C.A. & membership no. shall clearly be mentioned on CA certificate. In case C.A. certificate is not signed by bidder / furnished without membership no. & address of C.A. then same may not considered for which responsibility rests with the bidder.

SCHEDULE-VIII

JODHPUR VIDYUT VITRAN NIGAM LIMITED
DELIVERY SCHEDULE
PART-A

The delivery schedule of the material by the Purchaser is as mentioned here under:-

S.No.	Particular of material	Delivery
(I)	UNGALVANISED 42' LONG 33 KV DOUBLE CIRCUIT LATTICE STRUCTURE ALONG WITH THREE CROSS ARMS AND 48 NOS. NUTS & BOLTS	The bidder is required to quote bimonthly delivery. Commencement period shall be 30 days from the date of receipt of purchase order and entire supply shall be completed in six months at equal bimonthly rate thereafter.
(II)	33 KV SINGLE CIRCUIT UN-GALVANISED STEEL LATTICE STRUCTURE (36' LONG) WITH ONE 33 KV CROSS ARMS (CHANNEL) ONE TOP HAMPER & 48 NOS. MS BOLTS WITH NUTS	

Note :- In case ordered quantity is different than quoted quantity, then bimonthly delivery shall be adjusted proportionately. Tenders in which bimonthly delivery schedule is not indicated shall be ignored.

PART-B

In case bidder deviates from the delivery schedule mentioned by the purchaser in Part-A then the delivery schedule of the material by the bidder shall be indicated/mentioned as under:-

S.No.	Particular of material	Commencement period	Rate of supply bimonthly	Period for completion of delivery of entire material

Note:- (i) During the commencement period, the approval of drawing, B.O.M. and model assembly shall be got completed.
(ii) During the commencement period the contractual formalities shall be got completed.

Signature
Name & Designation
With seal of the bidder

JODHPUR VIDYUT VITRAN NIGAM LIMITED**A Govt. of Rajasthan Undertaking**

List of Equipments and Technical Hands Available with the Firm

(To be filled in by the bidders & enclosed with the bid)

Manufacturers and / or their authorized agents who are quoting against this bid are requested to furnish the following information along-with the bid. The Purchaser will have the discretion to ignore the bid without the under noted particulars and/or ignore the bid particulars.

1. Name and Address of Manufacturer.
2. Place where works exist.
3. Details of machinery particularly with B.H.P. of each item installed.
4. Details of staff employed in the works.
5. Date when started the manufacturing of item under reference.
6. List of items manufactured.
7. Literature and drawings of items manufactured showing their description, size, design and other important technical particulars.
8. Details of order so far, executed alongwith the names of organization to whom supplied.
9. Manufacturing capacity.
10. Is the workshop open for inspection by the representative of the board, if required?
11. Statement of financial resources and Banking Reference alongwith Balance-Sheet for previous two years.
- 12. Testing facilities (including chemical & mechanical properties test) available or name of other recognized lab. where tests are to be arranged.**
13. Whether the Firm is a small/medium/large scale industry.
14. Registration No. with :-
 - i. Small Scale, National/State.
 - ii. DGTD
 - iii. State Industries Department.

(Signature)Name & Designation
with seal of the bidder.

Format of Affidavit
(ON NON-JUDICIAL STAMP OF Rs. 100/-)

I _____ S/o _____ Aged _____ Yrs. _____
Residing at _____ Proprietor/Partner/Director of
M/s _____ do hereby solemnly affirm and declare that:

(a) My/Our above noted enterprise M/s _____ has been issued
acknowledgement of Entrepreneurial Memorandum Part II by the District Industries
Centre _____. The acknowledgement No. is _____ dated
_____ and has been issued manufacture of following items:

Name of Items	Production Capacity (Yearly)
---------------	------------------------------

- (i)
- (ii)
- (iii)
- (iv)
- (v)

(b) My/Our above noted acknowledgement of Entrepreneurial Memorandum Part-II has not been cancelled or withdrawn by the Industries Department and that the enterprise is regularly manufacturing the above items.

(c) My/Our enterprise is having all the requisite plant and machinery and is fully equipped to manufacture the above noted items.

Place _____

Signature of
Proprietor/Director Authorized Signatory
With Rubber Stamp and date

GENERAL
Amendments in GCC & ITB

- 1) **Wherever EMD and Security Bank Guarantee (SBG), are appearing in the ITB, GCC & other Bidding Documents, same is hereby replaced by BID SECURITY as under:-**

BID SECURITY

Bid security shall be 2% of the estimated value of subject matter of procurement put to bid. In case of Small Scale Industries of Rajasthan it shall be 0.5% of the quantity offered for supply and in case of sick industries, other than Small Scale Industries, whose cases are pending with Board of Industrial and Financial Reconstruction, it shall be 1% of the value of bid. Every bidder, if not exempted, participating in the procurement process shall be required to furnish the bid security as specified in the notice inviting bids.

In case SSI unit of Rajasthan quotes the less than the tendered quantity, then they are required to furnish Bid Security @ 0.5% of the value of the quantity offered by them, failing which bid shall be considered non-responsive.

The Bid Security amount (as applicable) to be paid by Demand Draft/Banker's Cheque in favour of SR. AO (CASH & CPC), JDVVNL, Jodhpur (payable at Jodhpur) 342003 **upto 4.00 p.m. upto one WORKING day prior to schedule date of opening** of respective bid or Bank Guarantee, in specified format, of a scheduled bank in favour of Superintending Engineer (MM&C), JDVVNL, Jodhpur, be deposited to the Sr.Accounts Officer (MM&C), JDVVNL, New Power House, Industrial Area, Jodhpur-342003 **upto 4.00 p.m. upto one WORKING day prior to schedule date of opening** of respective bid and obtain a receipt/acknowledgement thereof. No other mode of deposit shall be accepted. At the time of depositing the Bid Security amount or Bank Guarantee, the bidder shall also furnish self attested and duly attested by Notary, the documentary evidence of SSI unit of Rajasthan or of sick unit (as applicable) along with affidavit as per schedule X on Non-Judicial Stamp of Rs. 100/-.

The Bank Guarantee against Bid Security be issued by Nationalized / Scheduled Bank. The same may be accepted after confirmation by issuing Bank. If any Bid Security Bank Guarantee not in proper format / not confirmed by the issuing Bank the same would not be accepted and the bidder would be immediately shorted out from bid process.

The Micro, Small & Medium Scale Industries of Rajasthan and sick industries, other than Small Scale Industries, whose cases are pending before the Board of Industrial and Financial Reconstruction (BIFR) shall furnish self-attested documentary evidence duly attested by Notary to claim the above.

- 2) **Wherever Performance Bank Guarantee (PBG) and Composite Bank Guarantee (CBG) are appearing in the ITB, GCC & other Bidding Documents, same are hereby replaced by PERFORMANCE SECURITY as under:-**

PERFORMANCE SECURITY

- (i) Performance security shall be solicited from all successful bidders except the department's of the State Government and undertakings, corporations, autonomous bodies, registered societies, co-operative societies which are owned or controlled or managed by the State Government and undertakings of the Central Government. However, a performance security declaration shall be taken from them. The State Government may relax the provision of performance security in particular procurement or any class of procurement.

(ii) Performance security from the successful bidder shall be **5%** of the amount of supply order (in case of established suppliers) / **1%** of the amount of supply order (in case of Micro, Small & Medium scale industries of Rajasthan) / **2%** of the amount of supply order (in case of sick industries) / **10%** of the amount of supply order (in case of other suppliers). In case of successful bidder, the amount of bid security may be adjusted in arriving at the amount of the performance security, or refunded if the successful bidder furnishes the full amount of performance security.

3) **VENDOR REGISTRATION**

The relaxation/exemption given to the registered vendors of the Nigam in respect of EMD/SBG, wherever appearing in the ITB, GCC & other Bidding documents, are hereby WITHDRAWN.

4) The indirect taxes i.e. Excise Duty, Service Tax, VAT/CST, Entry Tax etc. mentioned in G.C.C., may now be read as G.S.T.

APPENDIX-A

Bank Guarantee No. _____.
 Security Amount : _____.
 Issued on dated : _____.
 Valid upto : _____.
 Claim upto / Grace period: _____.

PERFORMA OF BANK GUARANTEE FOR BID SECURITY

(Bank Guarantee in lieu of bid Security on non-judicial Stamp Paper of Rajasthan State of 0.25% of the B.G. value or Rs.25,000/-, whichever is less)

To,

The Superintending Engineer (MM&C),
 Jodhpur Vidyut Vitaran Nigam Limited,
 Jodhpur.

1. Whereas _____ (name of the Bidder) (hereinafter called "the Bidder") has submitted its bid dated _____ (date of submission of bid) for _____ (name of contract/ name of the material with Bid no. / TN No. _____) (hereinafter called "the Bid").
2. KNOW ALL PEOPLE by these presents that WE _____ (name and address of branch of Bank) of _____ (name of country), having our registered office at _____ (addresses of bank) (hereinafter called "the Bank"), are bound unto _____ (name of Purchaser) (hereinafter called "the Purchaser") in the sum of Rs. * _____ for which payment well and truly to be made to the said Purchaser, the Bank binds itself, its successors, and assigns by these presents sealed with the Common Seal of the said Bank this _____ day of _____ 20____.
3. THE CONDITIONS of this obligation are :
 - i. If the bidder withdraws its Bid during the period of bid validity specified by the Bidder in the Bid Form; or
 - ii. If the bidder refuses to accept the correction of error in his Bid; or
 - iii. If the bidder, having been notified of the acceptance of its Bid by the purchaser during the period of bid validity:
 - a. Fails or refuses to execute the Contract Agreement within the time specified in purchase / work order, if required, or
 - b. Fails or refuses to furnish the performance security within the time specified in purchase / work order in accordance with the GCC, or
 - c. Fails to commence supply of goods or services or execute work as per purchase / work order within time specified.
 - iv. If the bidder breaches any provision of the Code of integrity specified in the RTPP Act and Chapter VI of the RTPP Rules.
4. We undertake unconditionally and irrevocably to guarantee as primary obligator and not as surety merely to pay to the purchaser a sum of Rs. _____ (in words Rs. _____) upon receipt of its first written demand, without the purchaser having to substantiate its demand, provided that in its demand the Purchaser will note that the amount claimed by it is due to it owing to the occurrence of one or all of the above three conditions specifying the occurred condition or conditions.

5. The decision of the Superintending Engineer (MM&C), Jodhpur Vidyut Vitaran Nigam Limited, Jodhpur shall be final whether breach has been committed on the right to demand the amount of guarantee from us which has accrued to the purchaser.
6. This guarantee shall not cease or determine, if the purchaser grants time or indulgence or vary the terms of the contract with the Contractor or without our consent or knowledge.
7. The guarantee herein contained shall not be affected by any change in the constitution of the Contractor.
8. We _____ (Bank Name) further undertake not to revoke this guarantee during its currency except with the previous consent of the Superintending Engineer (MM&C), Jodhpur Vidyut Vitaran Nigam Limited, Jodhpur.
9. All disputes arising under the said guarantee between the Bank and the Nigam or between the Contractor and the Nigam pertaining to the guarantee, shall be subject to the jurisdiction of the Courts in Jodhpur, Rajasthan alone.
10. This guarantee will remain in force up to and including one hundred eighty (180) days after the date of the opening of bids, i.e. upto _____, with a further grace period of Ninety (90) days and any demand in respect thereof should reach the Bank not later than the above date.

Yours faithfully,
Bankers (EXECUTANT)

Signed by the above named Bank in presence of :
(signature with full Name and Address)

Witness :

1. _____.
2. _____.

Attested by Notary Public, First Class Magistrate or directly confirmed by the executing Bank.

* The Bidder should insert the amount of the guarantee in words and figures denominated in the currency of bid.

Note : In case the bid is submitted by a Joint Venture, the Bid Bank guarantee shall be in the name of Lead partner or in the name of joint venture partners submitting the Bid covering all the partners of the joint venture.