



JODHPUR VIDYUT VITARAN NIGAM LIMITED
OFFICE OF THE SUPERINTENDING ENGINEER (MM&C)
NEW POWER HOUSE, INDUSTRIAL AREA, JODHPUR –342 003
Corporate Identity Number (CIN)-U40109RJ2000SGC016483

TELEPHONE: 0291-2651376

FAX: 0291-2746539

Mail Address: semmcjdvvn@gmail.com**TWO PART BID****SPECIFICATION NO. JDVVNL/SE (MM&C)/TN-1385**

Tenders are hereby invited in e-tender system for Rate Contract of T.C. Fuse Wire are to be submitted online in electronic format on website <http://www.eproc.rajasthan.gov.in>. The details are as under-

S.N o.	Name of Item	Quantity (Approx)
1.	Rate Contract of T.C. Fuse Wire	Lump Sump

A.	NIT No.	TN-1385
B.	Cost of Specification	Rs. 2,950.00 per set (Two Thousand Nine Hundred & Fifty only)
C.	Processing of RISL	Rs. 1,000.00 per set (One Thousand only)
D.	Earnest money	Rs. 1,00,000 (Rs. One Lac Only)
E.	Vendor Class eligible to participate without EMD	Class A/B/C/D/E
F.	Validity	120 days from the next date of opening of techno-commercial bid.

IMPORTANT DATES

S.N .	Events	Date & Time	Location
1.	Last Date of downloading of tender specifications	Up to 30.10.2017 (04:00 PM)	www.jdvvn.com & http://www.eproc.rajasthan.gov.in
2.	Last Date of Deposit of cost of Tender Specifications, Processing fee & Earnest Money	Up to 30.10.2017 (4:00 PM)	Office of Sr. A.O (Cash & CPC), JdVVNL , New Power House, Industrial Area, Jodhpur
3.	Last Date & time of submission of electronic bid	Up to 31.10.2017 (12:00 PM)	http://www.eproc.rajasthan.gov.in
4.	Opening of Technical Bid	31.10.2017 (03:00 PM)	http://www.eproc.rajasthan.gov.in
5.	Opening of Price Bid	To be intimated separately to the qualified bidders	http://www.eproc.rajasthan.gov.in

INDEX

Section-I	Instructions to bidders	(for e- tendering)
Section-II	General Conditions of Contract	
Section-III	Technical Specification	
Schedule-I	Schedule of Requirement	
Schedule-II	Price adjustment formula	
Schedule-III	Details of Standards	
Schedule-III-A	Performa of Bank Guarantee in lieu of type test certificates	
Schedule-IV	BOQ (Price Schedule)	To be uploaded Online on website
Schedule V	Departure from Guaranteed Technical Particulars	
Schedule V A	Guaranteed Technical Particulars	
Schedule VI A	Departure from the requirement of Technical Specification.	
Schedule VI B	Departure from commercial terms & conditions of specification	
Schedule VII	List of Past supplies.	
Schedule VII A	C.A. Certificate	
Schedule VIII	Delivery schedule.	
Schedule IX	List of equipment & technical hands available with the bidding firm.	

Note: The bidders, in their own interest are requested to read very carefully Section-I (Instruction to Bidders), Section-II (General Condition of Contract) & Section-III (Technical Specification) before filling the bid. The Bid documents can be downloaded from website of Jodhpur Discom www.jdvvn.com, www.sppp.rajasthan.gov.in & <http://eproc.rajasthan.gov.in> & can be uploaded on the website <http://eproc.rajasthan.gov.in>. No hard copy of the bidding documents will be provided to the bidders through this office. In case of any discrepancy found in the bidding documents downloaded from the website and appended with the bid (as a bid document) and the original copy of such document available in the office of Superintending Engineer (MM&C), Jodhpur Discom, Jodhpur then the copy available with Superintending Engineer (MM&C), Jodhpur Discom, Jodhpur will be considered as final document for all purposes. The proof of depositing the cost of Bid document, EMD or Vendor registration certificate (if applicable) and tender processing fee be furnished upto 4:00 PM of one day prior to the date of tender opening in the manner prescribed in bid document

SCHEDULE-III**TECHNICAL SPECIFICATIONS FOR SUPPLY OF TINNED COPPER FUSE WIRE AGAINST RATE CONTRACT FOR A PERIOD OF TWO YEARS UNDER JdVVNL TENDER ENQUIRY UNDER TN-1385****3.01 SCOPE**

This specification is intended to cover the design, manufacture and testing before despatch, supply and delivery of Tinned Copper Fuse Wire at sites under rate contract for a period of 2 years from the date of placement of orders. Tinned copper fuse wire shall be used for rewirable type electric fuses at various sites of Jodhpur Vidyut Vitran Nigam Limited for protection of lines and transformers.

3.02 REQUIREMENT: -

The tentative requirement for Tinned Copper Fuse wire of assorted ratings at present is as given under: -

Sr. No.	Sizes/ Rating of TC Fuse Wire	Quantity in Kgs.
1.	2.5 A	Lump Sump
2.	6 A	
3.	10 A	
4.	16 A	
5.	20 A	
6.	25 A	
7.	32 A	
8.	40 A	
9.	63 A	
10.	80 A	
11.	100 A	

The Purchase Orders for quantities of Tinned Copper Fuse wire of assorted ratings / sizes shall be placed with you by the circle Superintending Engineer (O&M) during currency of this rate contract under TN-1385 to meet out the requirement of their circle.

3.03 STANDARD:-

The Tinned Copper Fuse wire shall be generally comply in all respect to the requirement of relevant IS:9926/1981 amended upto date except wherever modified in this specification.

Consideration may be given to alternative which the supplier consider advisable by reasons of his own manufacturing requirements and experiences, provided descriptive matter is submitted and recommended device of arrangement is equal to or superior to that required by the accompanying specification and if the purchaser is convinced of the quality and/ or superiority of the material.

3.04 TECHNICAL SPECIFICATION:-

The Tinned Copper Fuse wire shall be conforming to the IS:9926/1981 with latest amendments, if any. The Tinned Copper fuse wire shall comply with the following requirements:-

- a) The fuse wire shall be made from electrolytic tough pitched (ETP) copper (tinned) conforming to IS:8130/1984 amended upto date.
- b) The fuse wire shall be circular and shall have a uniform cross section and free from pits, draw marks or any other harmful surface defects.
- c) The tin coating layer shall be uniform, smooth, continuous and firmly adherent to the base copper material.
- d) The electrical properties of the material used for making the fuse wires shall be as given hereunder:-

i.	Resistivity at 20 deg. C.			0.017241 ohm mm Sq./m	
ii.	Density at 20 deg. C.			8.89 gm/cub cm.	
iii.	Constant mass temp. deficient of resistance at 20 deg.C.			0.00393/deg.C.	
iv.	Coefficient of linear expansion			17 x 10 ⁻⁶ / Deg.C.	
v.	Diameter & maximum allowable Resistance			As per Table	
	Rated Current of fuse wire	Nominal diameter	Tolerance (+/-) t	Permissible resistance in Ohm per meter at 20 Deg.C.	
	1	2	3	4	5
	A	mm	mm	Max.	Min.
	2.5 A	0.13	0.002	1.3358	1.2426
	6 A	0.20	0.003	0.5644	0.5250
	10 A	0.35	0.004	0.1834	0.1730
	16 A	0.50	0.005	0.0898	0.0848
	20 A	0.63	0.006	0.0566	0.0535
	25 A	0.75	0.008	0.0400	0.0376
	32 A	0.85	0.009	0.0311	0.0293
	40 A	1.25	0.011	0.0143	0.0136
	63 A	1.50	0.015	0.0099	0.0094
	80 A	1.80	0.018	0.0069	0.0065
	100 A	2.00	0.020	0.0056	0.0053

3.05 TEST CERTIFICATE:-

- 3.05.1 The bidder shall furnish valid and authenticated type test certificates as specified in IS:9926-1981 with latest amendments from a Govt. approved / Govt. recognized / NABL Accredited laboratory / ILAC i.e. International Laboratory Accredited Laboratory (in case of foreign laboratory) of similar rating and design of tendered material/ equipment. Such type test certificates should not be older than 5 years as on the date of bid opening. For this purpose date of conducting type test will be considered.

The type test certificate by in house laboratory of tendering firm even if it is a Govt. approved / Govt. recognized / NABL accredited / ILAC accredited, shall not be accepted, in case of their own tender. This will not apply if tendering firm is Govt. company / public Sector undertaking.

- 3.05.2 The bidder should furnish documentary evidence in support of the laboratory whose type test have been furnished, that the said laboratory is a Govt. / a Govt. approved / a Govt. recognized / NABL accredited laboratory / ILAC accredited (in case of foreign laboratory).
- 3.05.3 The type test certificates shall be furnished either in original or copy duly attested by notary.
- 3.05.4 The bids of only those bidders shall be considered to be meeting the type test criteria who furnishes complete type test certificate with the bid as per above provision.

However, in the following cases the bid of the bidder may be considered meeting the type test criteria if the bidder furnishes an undertaking stating that valid type test certificate from a Govt. / Govt. approved / Govt. recognized / NABL accredited / ILAC accredited laboratory shall be furnished from first lot (without asking any delivery extension) along with bank guarantee with the technical bid from a Nationalized / Scheduled Bank in prescribed proforma at Schedule-III A or DD/ Pay Order amounting to Rs.1.5 Lac in case where the value of the purchase is up to 1.5 Crore. The initial validity of Bank Guarantee shall be nine months with claim period of three months in addition.

- i) A new Rajasthan based unit who does not possess valid type tests reports subject to technically competent.
- ii) Where one or more type test(s) is/ are older than 5 years.
- iii) Where new type tests have been added in the specification.
- iv) Where some changes in respect of type test procedure of existing type tests have been introduced in the relevant standard.
- v) Where a new item is being purchased by Nigam for the first time.
- vi) The Rajasthan & outside Rajasthan firm who does not possess valid type tests certificates, if type test reports of higher rating are furnished

3.06 TESTS

The samples of all ratings/ sizes will be tested as per sampling plan of ISS at your works free of cost in presence of our inspecting officer for compliance to the requirement of guaranteed technical particulars and relevant IS:9926/1981 for acceptance of offered lot.

Acceptance Tests

The following tests shall be carried out as Acceptance Tests on the samples to be selected as per sampling plan:-

- i) Visual examination.
- ii) Dimensional Check.
- iii) Resistance Check.

3.07 **PACKING:**

The wire shall preferably be supplied in spools weighing 10 gms to 50 gms. The spools shall be so packed that the fuse wire are adequately protected against damages in ordinary handling and transit. The net weight of fuse wire of one spool should be 500 gms.

3.08 **MARKING:**

Each packing containing spools/ reels/ coils of fuse wire shall be clearly marked with the following informations:-

- i. Manufacturer's name or trade mark.
- ii. Purchaser's TN No., PO No. & date.
- iii. The material of fuse wire i.e. copper.
- iv. Length and weight of each spool.
- v. ISI certification mark.
- vi. The rated current.

3.09 **DELIVERY SCHEDULE:**

The delivery of material shall commence after 30 days from the date of receipt of PO and shall be completed within one month thereafter. In case ordered quantity is different than quoted quantity then monthly delivery shall be adjusted proportionally. Tenders, in which monthly delivery schedule is not indicated, shall be ignored.

3.10 **STATUS OF BIDDER:-**

The bidder should be a Manufacturer of offered items. The offers from sole selling agent/authorised dealers shall not be entertained.

- 3.11 As GST act has been effected from 01.07.2017, therefore, BOQ has been prepared accordingly with applicability of GST. Further, old tax structure wherever appearing in ITB/GCC may be replaced by GST as per notification.

Further, GST registration number of Jodhpur Discom is 08AAACJ8578R1ZJ.

SCHEDULE- I**SCHEDULE OF REQUIREMENT**

S.No	ITEM	QUANTITY (in Kg.)
	Tinned Copper Fuse Wire of ratio	LUMP SUMP
1	2.5 A	
2	6 A	
3	10 A	
4	16 A	
5	20 A	
6	25 A	
7	32 A	
8	40 A	
9	63 A	
10	80 A	
11	100 A	

NOTE:- The Purchase Orders for quantities of Tinned Copper Fuse wire of assorted ratings / sizes shall be placed with you by the circle Superintending Engineer (O&M) during currency of this rate contract under TN-1385 to meet out the requirement of their circle.

SCHEDULE- II**PRICE ADJUSTMENT FORMULA****ITEM: TINNED COPPER FUSE WIRE**

The price variation formula shall be applicable as under:-

$$\text{price of Tinned Copper} = 0.95 \times \frac{\left\{ \begin{array}{l} \text{Price of copper in Rs./Kg.} \\ \text{\{on date of adjustment.\}} \end{array} \right\} - \left\{ \begin{array}{l} \text{Price of copper in Rs./Kg.} \\ \text{\{on base date\}} \end{array} \right\}}{\left\{ \begin{array}{l} \text{Base Price of copper in Rs./Kg.} \end{array} \right\}} \times 100$$

The rates/ prices applicable for Copper shall be of HCL sale price of Electrolytic copper wire rods as per IEEMA circular.

Note:-

- i) IEEMA prices shall be excluding taxes.
- ii) Base date = **The base date will be 01.09.17 irrespective of date of tender opening.**

SCHEDULE-II-A**PRICES & PRICE VARIATION**

- a) The prices quoted shall be variable as per Price Variation Formula given in the Specification (Schedule-II) without any ceiling.
- b) If the price variation formula is changed, the same shall be applicable for the price variation. During the transit period when both old and new indices are being circulated, then the admissible Price Variation shall be applicable, which is advantageous to Nigam, and the period from which the old indices are discontinued then the P.V. shall be admissible with the new indices.
- c) The date of delivery applicable for claiming price variation shall be the date prevailing on the first day of Calendar month which shall be determined in the manner prescribed hereunder:-
 - (i) When the material is offered within stipulated delivery schedule : For allowing P.V. the date of delivery shall be considered the date on which material is notified as being ready for inspection or date of receipt of inspection call in the office.
 - (ii) When the material is offered after expiry of stipulated delivery schedule : For allowing P.V. in the cases supplies are made after the expiry of scheduled delivery, the price prevailing in the last month of the stipulated scheduled delivery or the date on which material is notified as being ready for inspection or date of receipt of inspection call in the office, whichever is beneficial to Nigam shall be allowed.
 - (iii) When the material is offered ahead of delivery schedule on the request of Jodhpur Vidyut Vitran Nigam Limited : Normally supplies ahead of delivery schedule shall not be accepted. However in case of urgency of material, if supplies are accepted ahead of delivery schedule, PV shall be allowed on the basis of the material is notified as being ready for inspection or date of receipt of inspection call in the office.
 - (iv) When the material is offered ahead of delivery schedule by firm at their own and accepted by Nigam on the request of firm: Normally the request of the firm to accept the material ahead of delivery schedule will not be accepted. In case firm offers supplies ahead of delivery schedule at their own and such request is accepted by Nigam, the price prevailing in the last month of stipulated delivery schedule or the date on which material is notified as being ready for inspection or date of receipt of inspection call in the office, whichever is beneficial to Nigam shall be allowed.

Schedule – III**JODHPUR VIDYUT VITRAN NIGAM LIMITED**

**A Govt. of Rajasthan Undertaking
Prescribed technical specification for supply of**

(Name of Material/Equipment/Machinery/T&P etc.)

S.No.	Technical specification which material/equipment/ Machinery/T&P shall confirm	Name of IS/other standard specification to which material should confirm	Other particulars if any.	to
-------	---	---	------------------------------	----

Certified that we agree to all the aforesaid technical specification except at S.No..... for which our technical specification shall be as under:-

S.No.	Technical specification which material/equipment/ Machinery/T&P shall confirm	Name of IS/other standard specification to which material should confirm	Other particulars if any.	to
-------	---	---	------------------------------	----

(Signature)
Name & Designation
with seal of the bidder.

Schedule – III -A**BANK GUARANTEE IN LIEU OF FURNISHING OF TYPE TEST CERTIFICATE**

(On Rajasthan Non-Judicial Stamp Paper worth 0.25% of BG value or maximum upto Rs. 25,000/-)

To,

The Superintending Engineer (MM&C),
Jodhpur Vidyut Vitran Nigam Limited,
Jodhpur.

Dear Sir,

Whereas Jodhpur Vidyut Vitran Nigam Limited, Jodhpur (hereinafter called the Purchaser) has issued a tender enquiry under TN_____ for procurement of _____ (name of material).

Whereas M/s _____ (hereinafter called the bidder) has furnished a bid for supply of _____ to the Superintending Engineer (MM&C), Jodhpur Vidyut Vitran Nigam Limited, Jodhpur or his nominated officer(s).

Whereas in accordance with the provision of the specification of the aforesaid TN_____, the bidder can deposit a bank guarantee in lieu of the requirement of furnishing the type test certificates.

Whereas M/s _____ (the bidder) have requested us (Name of the Bank) to furnish the bank guarantee, in lieu of the type test certificate, for an amount equivalent to Rs. _____ (in words also) only.

Under this Bank Guarantee, we (Name of the Bank) hereby undertake unconditionally and irrevocably to guarantee as primary obligator and not as Surety merely, the payment to the purchaser on his first demand without whatsoever right of objection on our part and without his first claim to the bidder, in the amount not exceeding (amount of guarantee in figures and words).

Payment pursuant to this undertaking will be demanded by the purchaser from the Bank and will be met by the Bank without question in the case in which the bidder, on receipt of the order and/or after the acceptance of this tender, makes default in furnishing the required type test certificates as to whether the occasion or ground has arisen for such demand the decision of the Superintending Engineer (MM&C), Jodhpur Vidyut Vitran Nigam Limited, Jodhpur shall be final.

The liability of the Bank shall not at any time exceed Rs. _____ (Rupees _____).

The undertaking will be determined on but will not withstanding such determination, continue to be in force till the expiry of 3 months from that date.

No indulgence or grant of time by the purchaser to the bidder without the acknowledgement of the Bank will discharge the liabilities of the Bank under this guarantee.

The guarantee herein contained shall not be affected by any change in the constitution of the bidder.

All disputes arising under the said guarantee between the Bank and the bidder or between the bidder and the purchaser pertaining to the guarantee shall be subject to the jurisdiction of Courts only at JODHPUR in Rajasthan.

The Bank further undertake not to revoke this guarantee during its currency except with the previous consent of the Superintending Engineer (MM&C), Jodhpur Vidyut Vitran Nigam Limited, Jodhpur.

Notwithstanding anything contained herein before, the Bank's liability under this guarantee i.e. restricted to Rs. _____ (Rupees _____) and the guarantee shall remain in force upto _____. Unless demand or claim in writing is presented on the Bank within three months from that date, the Bank shall be released and discharged from all liabilities there-under. However, the validity of the bank guarantee shall be extended as and when required by the purchaser.

IN WITNESS WHEREOF the Bank has executed these presents the _____ day _____ month _____ and year _____.

Yours faithfully,

(Bankers)
EXECUTANT

Witnesses:

1.

2.

Schedule – V**JODHPUR VIDYUT VITRAN NIGAM LIMITED****A Govt. of Rajasthan Undertaking**

Statement of guaranteed technical particulars and other performance data for supply of
 (Name of material) against specification
 no.....

S.No. Particulars of technical & other performance data guaranteed.

Certified that we agree to all the aforesaid technical particulars and other performance data
 except following :-

S.No.	Particulars of technical & other Performance data	Reasons for deviations/departure.
-------	--	--------------------------------------

(Signature)

Name & Designation
 with seal of the bidder.

Schedule – V(A)**GUARANTEED TECHNICAL PARTICULARS OF TINNED COPPER FUSE WIRE OF ASSORTED RATING AGAINST TN-1385**

S. No.	Particulars	Current Rating in Amp.									
		2.5	6	10	16	25	32	40	63	80	100
1.	Name & complete address of manufacturer.										
(a)	Works address										
(b)	GST Registration No.										
2.	Material of fuse wire										
3.	Physical Constants for the fuse wire material.										
i.	Nominal Diameter										
ii.	Resistivity at 20 deg. C.										
iii.	Density at 20 deg. C.										
iv.	Constant mass temp. deficient of resistance at 20 deg.C.										
v.	Coefficient of linear expansion										

4. Nominal Diameter & maximum allowable Resistance				
Rated Current of fuse wire	Nominal diameter	Tolerance (+/-) t	Permissible resistance in Ohm per meter at 20 Deg.C.	
1	2	3	4	5
A	mm	mm	Max.	Min.
2.5	0.13	0.002	1.3358	1.2426
6	0.20	0.003	0.5644	0.5250
10	0.35	0.004	0.1834	0.1730
16	0.50	0.005	0.0898	0.0848
20	0.63	0.006	0.0566	0.0535
25	0.75	0.008	0.0400	0.0376
32	0.85	0.009	0.0311	0.0293
40	1.25	0.011	0.0143	0.0136
63	1.50	0.015	0.0099	0.0094
80	1.80	0.018	0.0069	0.0065
100	2.00	0.020	0.0056	0.0053
5.	i. Tare weight of Spool (gms).			
	ii. Net weight of fuse wire in one spool (gms.)			
	iii. Gross Weight of spool (gms.)			
6.	Total length of fuse wire in one spool			
7.	Marking on fuse wire if any.			
8.	IS reference No. to which fuse wire confirms.			
9.	Type test report for persulphate test.			

Date

Name of Firm
Signature of Bidder
Designation & Seal

**JODHPUR VIDYUT VITRAN NIGAM LIMITED****A Govt. of Rajasthan Undertaking****DEPARTURE/DEVIATION FROM TECHNICAL SPECIFICATION****Schedule – VI (A)**

The bidder shall state under this schedule the departure from the Purchaser's specification in respect of technical is as under:-

S.No.	Main Deviations from Technical Specification.
-------	---

Certified that we agree to all the technical specification of the NIT except for the deviation to the extent indicated above.

(Signature)
Name & Designation
with seal of the bidder.

**JODHPUR VIDYUT VITRAN NIGAM LIMITED****A Govt. of Rajasthan Undertaking****DEPARTURE FROM COMMERCIAL TERMS & CONDITIONS OF THE
SPECIFICATION**

The bidder shall state under this schedule the departure from the Purchaser's specification in respect of Commercial terms & conditions:-

S.No.	Main Deviations from Specification.
-------	-------------------------------------

Certified that we agree to all the commercial terms & conditions as laid down in General Conditions of Contract to the specification except for the deviation to the extent indicated above.

(Signature)
Name & Designation
with seal of the bidder.

Schedule – VII

**JODHPUR VIDYUT VITRAN NIGAM LIMITED**

A Govt. of Rajasthan Undertaking
LIST OF PAST SUPPLIES

The bidder shall state under this schedule whether material and equipments, similar to those offered in the tender have been previously supplied by him. A list shall be given of such orders executed by him together with information regarding the names of purchasing organizations, quantities supplied and when the supplies were effected. This list should be in form given below:-

S.No.	Detailed particulars supplied	Qty in Kg.	Order No. & Date	Name & details of purchasing authority	Date of Completion
1	2	3	4	5	6

If executed partially to be mentioned M.T.)order	whether still to be executed	Delivery Remarks stipulated in	(Qty. in
7	8	9	10

Note: Separate schedules are to be furnished by the bidder for past supply to the JdVVNL, Jodhpur other State Electricity Boards and other Departments /Organisations.

(Signature)

Name & Designation
with seal of the bidder.

with seal of the bidder.

SCHEDULE-VIIA**TN-1385****TO WHOMSOEVER IT MAY CONCERN**

This is to certify that M/s. _____ (Complete with address) have manufactured and supplied the goods / equipments / material during the following financial year(s) to the Utilities / Government Departments / Discoms/ SEBs as detailed out below:

FOR THE LAST THREE FINANCIAL YEARS FROM THE DATE OF OPENING OF TECHNO-COMMERCIAL BID.

S. No	Financial year in which material supplied	Detailed Particulars of item(s) supplied	Name and particulars of purchasing authority	Order No. & date against which item(s) supplied	Unit	Ordered		Actual Supplied up to		Remarks
						Quantity	Value (Rs)	Quantity	Value (Rs)	
1	2	3	4	5	6	7	8	9	10	11

Signature ,
Name & Designation
With Seal of the Bidder
Date _____
Place _____

Signature & seal of C.A
Name :
Address:

Membership No

The above particulars are true and correct based on explanations, records and books of accounts produced before us. Further the above certificate issued on the request of the company

CA Firm (_____)

Note:- The CA Certificate should be furnished on the letter head of CA and must be signed by the bidder and C.A. firm. The details i.e. address of C.A. & membership No. shall clearly be mentioned on C.A. certificate. In case C.A. certificate is not signed by the bidder/furnished without membership No. & address of C.A. then same may not be considered for which responsibility rests with the bidder.

Schedule – VIII**JODHPUR VIDYUT VITRAN NIGAM LIMITED****A Govt. of Rajasthan Undertaking****DELIVERY SCHEDULE****PART-A**

The delivery schedule of the material by the Purchase Officer is as mentioned hereunder:-

Sr. No.	Particulars of Material	of Commencement period	Rate of supply per month	per	Period for completion of delivery of entire material	for of entire material
----------------	--------------------------------	-------------------------------	---------------------------------	------------	---	-------------------------------

The delivery of material shall commence after 30 days from the date of receipt of PO and shall be completed within one month thereafter

PART-B

In case bidder deviates from the delivery schedule mentioned by the purchaser in Part-A then the delivery schedule shall be indicated/mentioned by the bidder as under:-

S.No.	Particulars of Material	Commencement period per Month.	Rate of supply per Month	Period for completion of delivery of entire material
--------------	--------------------------------	---------------------------------------	---------------------------------	---

- Note:** 1. During the commencement period the process of model assembly and submission of B.O.M. for approval shall be got completed.
2. During the commencement period the contractual formalities shall be got completed.

(Signature)

Name & Designation
with seal of the bidder.



JODHPUR VIDYUT VITRAN NIGAM LIMITED

A Govt. of Rajasthan Undertaking

List of Equipments and Technical Hands Available with the Firm

(To be filled in by the bidders & enclosed with the bid)

Manufacturers and / or their authorized agents who are quoting against this bid are requested to furnish the following information along-with the bid. The Purchaser will have the discretion to ignore the bid without the under noted particulars and/or ignore the bid particulars.

1.	Name and Address of Manufacturer (With phone, mobile & fax no.)	
2.	Official email ID	
3.	Whether firm is proprietorship/partnership/ Limited (Please give details and also enclose copy of memorandum of constitution of firm along with name of directors/ partners/proprietor & their address.	
4.	Place where works exist (indicate the name of the only one works from where you want to supply the offered material).	
5.	Details of machinery particularly with B.H.P. of each item installed.	
6.	Details of staff employed in the works	
7.	Date when started the manufacturing of item under reference	
8.	List of items manufactured.	
9.	Literature and drawings of items manufactured showing their description, size, design and other important technical particulars	
10.	Details of order so far, executed alongwith the names of organization to whom supplied.	
11.	Manufacturing capacity.	
12.	Is the workshop open for inspection by the representative of the board, if required?	
13.	Statement of financial resources and Banking Reference along with Balance-Sheet for previous two years	
14.	Testing facilities available for the manufactured articles in the testing laboratory of works.	
15.	Whether the Firm is a small/medium/large scale industry.	
16.	Registration No. with :-	
	i. Small Scale, National/State.	
	ii) DGTD	
	iii) State Industries Department	

(Signature)

Name & Designation
with seal of the bidder.