



राजस्थान राज्य विद्युत उत्पादन निगम लिमिटेड

CIN- U40102RJ2000SGC016484 (राजस्थान सरकार का उपक्रम)

सूरतगढ़ सुपर थर्मल पॉवर स्टेशन, सूरतगढ़ -335805 (श्रीगंगानगर)

Phone no. 01509-245252 , 9413349531 Email: ce.stps@rrvun.com

ऑनलाईन निविदा सूचना

निम्नलिखित कार्यो हेतु दो भागों में ऑनलाईन निविदाएँ आमंत्रित की जाती है – (1) **TN-2646 Opr (UBN No. RVU2021WSOB00432):** ट्रबार्इन (एम.ओ.टी./सी.ए.) क्षेत्र से सम्बन्धित विभिन्न परिचालन के कार्य। (2) **TN-2647 Opr (UBN No. RVU2021WSOB00411):** ट्रबार्इन क्षेत्र, ट्रांसफार्मर यार्ड, ऑकजीलरी एरिया व सर्विस बिल्डिंग की साफ सफाई का कार्य। (3) **TN-2648 Opr (UBN No. RVU2021WSOB00425):** कार्यालयो मे दैनिक कार्य हेतु सहयोग। (4) **TN-2649 CA (UBN No. RVU2021WSOB00449):** एयर कंडिशनिंग एवं पैकेज एसी यूनिट की मरम्मत का कार्य। (5) **TN-2650 BM (UBN No. RVU2021WSOB00417):** थर्मल प्लांट में एच पी वेल्डिंग ज्वाइन्ट्स व स्ट्रकचरल ज्वाइन्ट्स की रेडियो ग्राफी का कार्य। (6) **TN-2651 FF (UBN No. RVU2021WSOB00436):** अग्नि शमन प्रणाली व फायर पम्पस के रखरखाव का कार्य। (7) **TN-2652 Elect. (UBN No. RVU2021WSOB00428)** 3Φ ,415 वोल्ट LT मोटरो की रिवाइडिंग का कार्य। (8) **TN-2653 Civil (UBN No. RVU2021WSOB00433):** कॉलोनी की विभिन्न ऑकजीलेरी बिल्डिंग के रंगाई, पूताई का कार्य। (9) **TN-2654 Civil (UBN No. RVU2021WSOB00434):**T.G रूफ, DM प्लांट व अन्य बिल्डिंग के वाटर प्रूफिंग ट्रिटमेन्ट का कार्य (10) **TN-2655 Elect. (UBN No. RVU2021WSOB00450):** जनरेटर ट्रांसफार्मर का (बिना तेल निकाले) तेल रिसाव को रोकने का कार्य।(11) **TN-2656 Elect. (UBN No. RVU2021WSOB00427) :** 6.6 KV बस डक्ट, मोटर, एचटी स्विच गियर के मेन्टीनेंस का कार्य एवं केबल बिछाने , टरमिनेसन व जोडने का कार्य।उपरोक्त निविदा सम्बन्धी विस्तृत विवरण वेबसाईट www.sppp.rajasthan.gov.in एवं www.energy.rajasthan.gov.in/rvunl पर उपलब्ध है।

मुख्य अभियन्ता (परि. एवं संधा.)



Rajasthan Rajya Vidyut Utpadan Nigam Limited
CIN- U40102RJ2000SGC016484 (A Govt. of Rajasthan Undertaking)
Suratgarh Super Thermal Power Station, Suratgarh-335805 (Sri Ganganagar)

Phone no. 01509-245252, 9413349531 Email: ce.stps@rrvun.com

Notice of online Tenders (for RVUN's web site)

Online tenders in two parts are invited from experienced contractors by Chief Engineer (O&M), Suratgarh Super Thermal Power Station, Rajasthan Rajya Vidyut Utpadan Nigam, Room No. 306, Service Building, Suratgarh, Distt. Sriganganagar- 335804 for the following work.

The tender document including detailed NIT, pre-qualifying requirement and specifications can be downloaded from the website <http://eproc.rajasthan.gov.in> and the interested bidders will have to submit their tender in electronic format on this website with their digital signatures. Details of tenders are also available on website <http://eproc.rajasthan.gov.in> and www.sppp.rajasthan.gov.in

S.N o.	TN No.	NAME OF CONTRACT	ESTIMATED COST(IN LACS)	EMD IN RS.	TENDER COST (INCLUDING GST 18%)	e-tender PROCESSING FEES
1	2646 Opr	Various works related to turbine MOT/CA area in each unit of Stg. I to IV(Unit-1 to 6) of SSTPS. (Contact Person : I.R.Mahalda 9414063273)	14.79	29600	236	500
2	2647 Opr	Cleaning of Turbine area, Transformer yard area and Auxiliary area of Unit# 1 to 6 and service building of STPS, suratgarh. (Contact Person : I.R.Mahalda 9414063273)	29.03	58100	590	500
3	2648 Opr	Providing of day-to-day assistance in maintaining and running of various offices & stores. (Contact Person : I.R.Mahalda 9414063273)	30.41	60900	590	500
4	2649 CA	Repairing / rewinding of Sealed / Semi-Sealed compressors of packaged A.C. Units, Chiller Units, Dryer Units, window/split A.C.'s & water coolers and fan motors of window/split A.C.'s & water coolers at STPS Plant and Colony. (Contact Person : Deepak Gupta 9413385964)	3.79	7600	236	500
5	2650 BM	Radiography of H.P. Welding joints and structure welding in Boiler, Turbine & plant area of Unit # 1 to 6, SSTPS, RVUNL, Suratgarh. (Contact Person : G S Koli 9413385972)	3.59	7200	236	500
6	2651 FF	Maintenance of fire fighting systems / equipments including fire pumps & booster pumps of 6X250 MW Unit#1 to 6, SSTPS Suratgarh. (Contact Person : R.K.Chhawal 9413349703)	23.56	47100	236	500
7	2652 Elect	Rewinding of 3Φ -415V LT motor of SSTPS unit, CHP area & minihydels. (Contact Person : M.S.Soni 9413349909)	22.84	45700	236	500
8	2653 Civil	Annual contract for white/color washing, painting of various buildings at STPS Township, Suratgarh. (Contact Person: Yogesh Chaturvedi 9413385693)	44.77	89600	590	500
9	2654 Civil	Providing & applying water proofing treatment at T.G. roof, DM plant and misc. building at STPS Plant. (Contact Person : Yogesh Chaturvedi 9413385693)	47.00	94000	590	500
10	2655 Elect.	Arresting oil leakage without draining of oil of Generator Transformer U#1/2/3/4/5/6 at STPS, Suratgarh by supply and application of Titanium Putty H.P/ Plastic Steel 5 Minute SF/Silite Sealent / Cleaner Conditioner. (Contact Person : M.S.Soni 9413349909)	28.47	57000	590	500
11	2656 Elect.	Routine /Breakdown /Capital maintenance work of 6.6 KV HT switchgear, Motors, Cable laying, Termination & jointing of stage I,II,III&IV at 6x250 MW SSTPS, Suratgarh.(Contact Person : M.S.Soni 9413349909)	33.19	66400	590	500

GENERAL DETAILS OF TENDERS:

S. No.	ITEM	Particulars	
	Tender Fee (Non Refundable) including GST @ 18%	Total amount (EMD +Tender cost+ e-Tender processing Fees) is preferably be deposited through digital mode [NEFT/RTGS/IMPS/BHIM-UPI / RUPAY CARD /BHIM UPI (UPI ID : 61006535731@sbi)] in single transaction in the bank account of STPS as given in Section_A of Teder Documents.	
	Earnest Money	After making payment through digital mode bidders are required to send duly filled , signed and stamped tender application form along with payment advice / UTR no. of above transaction before scheduled date and time via email on email id xencontract.stps@gmail.com and cashstps@gmail.com / in-person / by post.	
	e-tender processing fee (Non Refundable)		
	Contract Period	For TN- 2646 to 2656	12 months
	Validity of tender	For TN- 2646 to 2656	120 days
	Important Dates		
	Date of Pre-bid meeting	N.A	
	Date of downloading of tender documents from website	For TN- 2649 to 2650 For TN- 2646 to 2648 For TN- 2652, 2655 & 2656 For TN- 2651, 2653 & 2654	From 25.06.20 (9.00 Hrs.) to 3.07.20 (15.00Hrs.) From 25.06.20 (9.00 Hrs.) to 6.07.20 (15.00Hrs.) From 25.06.20 (9.00 Hrs.) to 7.07.20 (15.00Hrs.) From 25.06.20 (9.00 Hrs.) to 8.07.20 (15.00Hrs.)
	Last Date of online submission of tender document on website	For TN- 2649 to 2650 For TN- 2646 to 2648 For TN- 2652, 2655 & 2656 For TN- 2651, 2653 & 2654	upto 3.07.20 (15.00Hrs.) upto 6.07.20 (15.00Hrs.) upto 7.07.20 (15.00Hrs.) upto 8.07.20 (15.00Hrs.)
	Last date for intimation/ submission of detail of UTR no. for total amount (inclusive of EMD, tender cost & tender processing fee) deposited through through [NEFT/RTGS/IMPS/BHIM-UPI / RUPAY CARD /BHIM UPI (UPI ID : 61006535731@sbi)] in single transaction on email id xencontract.stps@gmail.com and cashstps@gmail.com or in-person/by post along with tender application form as attached with bid document.	For TN- 2649 to 2650 For TN- 2646 to 2648 For TN- 2652, 2655 & 2656 For TN- 2651, 2653 & 2654	upto 3.07.20 (15.30Hrs.) upto 6.07.20 (15.30Hrs.) upto 7.07.20 (15.30Hrs.) upto 8.07.20 (15.30Hrs.) in the Room No. 306,Service Building, office of the Chief Engineer (O&M) , SSTPS, RVUN, Suratgarh
	Date of opening of Technical bid	For TN- 2649 to 2650 For TN- 2646 to 2648 For TN- 2652, 2655 & 2656 For TN- 2651, 2653 & 2654	4.07.20 at 3.00 PM 7.07.20 at 3.00 PM 8.07.20 at 3.00 PM 9.07.20 at 3.00 PM

1. Eligibility Criteria

For TN-2646 Opr.

- (i) Average Annual Financial Turn Over in the preceding three completed financial years as on date of bid opening should not be less than Rs. 1478250.00.
- (ii) The bidder must have an experience of having successfully executed / completed the contract For similar nature of works in any of thermal power plant(s)/ gas power plant(s)/ any process industries/ any electric utility / organization (as the case may be according to the nature of work and examples) during last 7 years ending last day of the month previous to bid opening date with either of the following executed value(s) of the contract(s):
 - a. Three executed/completed contracts, as above, costing not less than the amount equal to 40% of the estimated cost each
 - or
 - b. Two executed/completed contracts, as above, costing not less than the amount equal to 50% of the estimated cost each
 - or
 - c. One executed/completed contract, as above, costing not less than the amount equal to 80% of the estimated cost.
- (iii) Satisfactory performance certificate or satisfactory work completion certificate for above executed works should be signed by officer not below the rank of Superintending Engineer or order placing authority of concerned organization. In case of works awarded by RVUN performance certificate issued on or after 06.01.2017 should be signed by the chief Engineer/ In charge of power station/Project.
- (iv) The participating bidders should have GST registration with Central Excise Department, PF registration, PAN card, ESI registration and labour licence (if required) and class A electrical licence (if required).

For TN-2647 Opr

- (i) Average Annual Financial Turn Over in the preceding three completed financial years as on date of bid opening should not be less than Rs.29.02 lacs.
- (ii) The bidder must have an experience of having successfully executed / completed the contract for same/similar work i.e. Housekeeping /cleaning work in power plant(s)/ any process industry / Organization during last 7 years ending last day of the month previous to bid opening date with either of the following executed value(s) of the contract(s):
 - a. Three executed/completed contracts, as above, costing not less than the amount equal to 40% of the estimated cost each
 - or
 - b. Two executed/completed contracts, as above, costing not less than the amount equal to 50% of the estimated cost each
 - or
 - c. One executed/completed contract, as above, costing not less than the amount equal to 80% of the estimated cost.
- (iii) Satisfactory performance certificate or satisfactory work completion certificate for above executed works should be signed by officer not below the rank of Superintending Engineer or order placing authority of concerned organization. In case of works awarded by RVUN performance certificate issued on or after 06.01.2017 should be signed by the chief Engineer/ In charge of power station/Project.
- (iv) The participating bidders should have GST registration with Central Excise Department, PF registration, PAN card, ESI registration and labour licence (if required).

For TN-2648 Opr

- (i) Average Annual Financial Turn Over in the preceding three completed financial years as on date of bid opening should not be less than Rs.3040440.00.
- (ii) The bidder must have an experience of having successfully executed / completed the contract for similar nature works in any of thermal power plants(s)/ gas power plant(s)/ any process industries/ any electric utility/ organization during last 7 years ending last day of the month previous to bid opening date with either of the following executed value(s) of the contract(s):
 - a. Three executed/completed contracts, as above, costing not less than the amount equal to 40% of the estimated cost each
 - or
 - b. Two executed/completed contracts, as above, costing not less than the amount equal to 50% of the estimated cost each
 - or
 - c. One executed/completed contract, as above, costing not less than the amount equal to 80% of the estimated cost.
- (iii) Satisfactory performance certificate or satisfactory work completion certificate for above executed works should be signed by officer not below the rank of Superintending Engineer or order placing authority of concerned organization. In case of works awarded by RVUN performance certificate issued on or after 06.01.2017 should be signed by the chief Engineer/ In charge of power station/Project.
- (iv) The participating bidders should have GST registration with Central Excise Department, PF registration, PAN card, ESI registration and labour licence (if required) and class A electrical licence (if required).

For TN-2649 CA

- (i) Average Annual Financial Turn Over in the preceding three completed financial years as on date of bid opening should not be less than Rs.378023.00
- (ii) The bidder must have an experience of having successfully executed / completed the contract for same/similar nature of work in any of industry like process industry/ electrical utility/ cement industry /refinery/ fertilizer plants/ power plants etc. during last 7 years ending last day of the month previous to bid opening date with either of the following executed value(s) of the contract(s):
 - a. Three executed/completed contracts, as above, costing not less than the amount equal to 40% of the estimated cost each
 - or
 - b. Two executed/completed contracts, as above, costing not less than the amount equal to 50% of the estimated cost each
 - or
 - c. One executed/completed contract, as above, costing not less than the amount equal to 80% of the estimated cost.
- (iii) Satisfactory performance certificate or satisfactory work completion certificate for above executed works should be signed by officer not below the rank of Superintending Engineer or order placing authority of concerned organization. In case of works awarded by RVUN performance certificate issued on or after 06.01.2017 should be signed by the chief Engineer/ In charge of power station/Project.
- (iv) The participating bidders should have GST registration with Central Excise Department, PF registration, PAN card, ESI registration and labour licence (if required) and class A electrical licence (if required).

For TN-2650 BM

- (i) Average Annual Financial Turn Over in the preceding three completed financial years as on date of bid opening should not be less than Rs.358330.00.
- (ii) The bidder must have an experience of having successfully executed/ completed the contract for Radiography of H.P. welding joints in boiler & turbine area in any thermal power plant(s)/ process industries during last 7 years ending last day of the month previous to bid opening date with either of the following executed value(s) of the contract(s):
 - a. Three executed/completed contracts, as above, costing not less than the amount equal to 40% of the estimated cost each
 - or
 - b. Two executed/completed contracts, as above, costing not less than the amount equal to 50% of the estimated cost each
 - or
 - c. One executed/completed contract, as above, costing not less than the amount equal to 80% of the estimated cost.
- (iii) Satisfactory performance certificate or satisfactory work completion certificate for above executed works should be signed by officer not below the rank of Superintending Engineer or order placing authority of concerned organization. In case of works awarded by RVUN performance certificate issued on or after 06.01.2017 should be signed by the chief Engineer/ In charge of power station/Project.
- (iv) The participating bidders should have GST registration with Central Excise Department, PF registration, PAN card, ESI registration and labour licence (if required) and class A electrical licence (if required).

For TN-2651 FF

- (i) Average Annual Financial Turn Over in the preceding three completed financial years as on date of bid opening should not be less than Rs.2355357.00.
- (ii) The bidder must have an experience of having successfully executed / completed the contract for firefighting maintenance of fire fighting system of high rise building comprising of hydrant system, sprinkler system, fire alarm system, fire pumps etc. in any of the thermal power plant(s)/ gas power plant(s)/ any process industries/ any electrical utility/ organization during last 7 years ending last day of the month previous to bid opening date with either of the following executed value(s) of the contract(s):
 - a. Three executed/completed contracts, as above, costing not less than the amount equal to 40% of the estimated cost each
 - or
 - b. Two executed/completed contracts, as above, costing not less than the amount equal to 50% of the estimated cost each
 - or
 - c. One executed/completed contract, as above, costing not less than the amount equal to 80% of the estimated cost.
- (iii) Satisfactory performance certificate or satisfactory work completion certificate for above executed works should be signed by officer not below the rank of Superintending Engineer or order placing authority of concerned organization. In case of works awarded by RVUN performance certificate issued on or after 06.01.2017 should be signed by the chief Engineer/ In charge of power station/Project.
- (iv) The participating bidders should have GST registration with Central Excise Department, PF registration, PAN card, ESI registration and labour licence (if required) and class A electrical licence (if required)..

For TN-2652 Elect

- (i) Average Annual Financial Turn Over in the preceding three completed financial years as on date of bid opening should not be less than Rs.2283660.00.
- (ii) The bidder must have an experience of having successfully executed/completed the contract for rewinding of 3-phase, 415 V induction motors in any of the thermal power plant(s)/ gas power plant(s)/ any process industries/ any electrical utility/ organization during last 7 years ending last day of the month previous to bid opening date with either of the following executed value(s) of the contract(s):
 - a. Three executed/completed contracts, as above, costing not less than the amount equal to 40% of the estimated cost each
or
 - b. Two executed/completed contracts, as above, costing not less than the amount equal to 50% of the estimated cost each
or
 - c. One executed/completed contract, as above, costing not less than the amount equal to 80% of the estimated cost.
- (iii) Satisfactory performance certificate or satisfactory work completion certificate for above executed works should be signed by officer not below the rank of Superintending Engineer or order placing authority of concerned organization. In case of works awarded by RVUN performance certificate issued on or after 06.01.2017 should be signed by the chief Engineer/ In charge of power station/Project.
- (iv) The participating bidders should have GST registration with Central Excise Department, PF registration, PAN card, ESI registration and labour licence (if required) and class A electrical license (if required).

For TN-2653 Civil

- (i) Average Annual Financial Turn Over in the preceding three completed financial years as on date of bid opening should not be less than Rs.44.77 Lakh.
- (ii) The bidder must have an experience of having successfully executed/completed the contract for same/similar work i.e. civil construction or maintenance work for buildings in any of the thermal power plant(s)/ Gas power plant(s)/ any industries/ organization during last 7 years ending last day of the month previous to bid opening date with either of the following executed value(s) of the contract(s):
 - a. Three executed/completed contracts, as above, costing not less than the amount equal to 40% of the estimated cost each
or
 - b. Two executed/completed contracts, as above, costing not less than the amount equal to 50% of the estimated cost each
or
 - c. One executed/completed contract, as above, costing not less than the amount equal to 80% of the estimated cost.
- (iii) Satisfactory performance certificate or satisfactory work completion certificate for above executed works should be signed by officer not below the rank of Superintending Engineer or order placing authority of concerned organization. In case of works awarded by RVUN performance certificate issued on or after 06.01.2017 should be signed by the chief Engineer/ In charge of power station/Project.
- (iv) The participating bidders should have GST registration with Central Excise Department, PF registration, PAN card, ESI registration and labour licence (if required).

For TN-2654 Civil

- (i) Average Annual Financial Turn Over in the preceding three completed financial years as on date of bid opening should not be less than Rs.47.00 Lakh.
- (ii) The bidder must have an experience of having successfully executed/completed the contract for same/similar work i.e. roof water proofing work for building in any of the thermal power plant(s)/ Gas power plant(s)/ any industries/ organization during last 7 years ending last day of the month previous to bid opening date with either of the following executed value(s) of the contract(s):
 - a. Three executed/completed contracts, as above, costing not less than the amount equal to 40% of the estimated cost each
or
 - b. Two executed/completed contracts, as above, costing not less than the amount equal to 50% of the estimated cost each
or
 - c. One executed/completed contract, as above, costing not less than the amount equal to 80% of the estimated cost.
- (iii) Satisfactory performance certificate or satisfactory work completion certificate for above executed works should be signed by officer not below the rank of Superintending Engineer or order placing authority of concerned organization. In case of works awarded by RVUN performance certificate issued on or after 06.01.2017 should be signed by the chief Engineer/ In charge of power station/Project.
- (iv) The participating bidders should have GST registration with Central Excise Department, PF registration, PAN card, ESI registration and labour licence (if required).

For TN-2655 Elect

- (i) Average Annual Financial Turn Over in the preceding three completed financial years as On date of bid opening should not be less than Rs. 28,47,000.
- (ii) The bidder must have an experience of having successfully executed / completed the contract for Arresting oil leakage without draining of oil of Generator Transformer of capacity 200 MVA or more by supply and application of Titanium Putty H.P/ Plastic Steel 5 Minute SF/Silite Sealent / Cleaner Conditioner in any thermal power plant(s)/ gas power plant(s)/ any process industries/ any electrical utility/ organization during last 7 years ending last day of the month previous to bid opening date with either of the following executed value(s) of the contract(s):
 - a. Three executed/completed contracts, as above, costing not less than the amount equal to 40% of the estimated cost each
or
 - b. Two executed/completed contracts, as above, costing not less than the amount equal to 50% of the estimated cost each
or
 - c. One executed/completed contract, as above, costing not less than the amount equal to 80% of the estimated cost.
- (iii) Satisfactory performance certificate or satisfactory work completion certificate for executed work of Arresting oil leakage without draining of oil of Generator Transformer of capacity 200 MVA or more by supply and application of Titanium Putty H.P/ Plastic Steel 5 Minute SF/Silite Sealent / Cleaner Conditioner should be signed by officer not below the rank of Superintending Engineer or order placing authority of concerned organization. In case of works awarded by RVUN performance certificate issued on or after 06.01.2017 should be signed by the chief Engineer/ In charge of power station/Project.
- (iv) The participating bidders should have GST registration with Central Excise Department, PF registration, PAN card, ESI registration and labour licence (if required) are also to be provided.

For TN-2656 Elect

- (i) Average Annual Financial Turn Over in the preceding three completed financial years as On date of bid opening should not be less than Rs.33.18 Lacs.
 - (ii) The bidder must have an experience of having successfully executed / completed the contract for maintenance of electrical equipments like HT motor & HT Switchgears. The bidder must furnish proof of execution of maintenance/ overhauling of at least one HT equipment in any of thermal power plant(s)/ gas power plant(s)/ any process industries/ any electrical utility/ organization during last 7 years ending last day of the month previous to bid opening date with either of the following executed value(s) of the contract(s):
 - a. Three executed/completed contracts, as above, costing not less than the amount equal to 40% of the estimated cost each
 - or
 - b. Two executed/completed contracts, as above, costing not less than the amount equal to 50% of the estimated cost each
 - or
 - c. One executed/completed contract, as above, costing not less than the amount equal to 80% of the estimated cost.
 - (iii) Satisfactory performance certificate or satisfactory work completion certificate for above executed works should be signed by officer not below the rank of Superintending Engineer or order placing authority of concerned organization.
 - (iv) The participating bidders should have GST registration with Central Excise Department, PF registration, PAN card, ESI registration and labour licence (if required) and class A electrical licence (if required).
3. The bidder will have to register themselves on website <http://www.eproc.rajasthan.gov.in> for participating in this tender. For this purpose Digital Signature Certificate (DSC) have to be obtained from any agency approved by CCA. This DSC will be used to sign the bids submitted online by the bidder. Unsigned tenders will not be entertained and will be rejected out rightly.
 4. The tender for works shall remain open for acceptance for the period of 120 days from the date of opening of pre-qualification/ technical bid or up to such period as detailed out in tender document.
 5. If any tenderer withdraws his tender prior to expiry of validity period as mentioned at S. No. 6 or mutually extended period or makes modifications in the rates, terms and conditions of the tender within the said validity period, which are not acceptable to the department, or fails to commence the work in the specified period/ fails to execute the agreement, the department shall without prejudice to any other right or remedy be at liberty to forfeit the amount of earnest money given in any form absolutely. If any contractor, who having submitted a tender does not execute the agreement or start the work or does not complete the work and the work has to be put to re-tendering, he shall stand debarred from participating in such re-tendering in addition to forfeiture of earnest money/ security deposit and other action under agreement. If there is strong justification of believing that the tenderer or his authorized has been guilty of mal-practices such as submission of forged documents, influencing individually or politically, his offer will be liable to rejection and in such case his earnest money shall be forfeited.
 6. All tenders, in which any of the prescribed conditions are not fulfilled or which have been vitiated by errors in calculations, totaling or discrepancies in figures or words or other discrepancies, will be liable to rejection.
 7. No conditional tenders shall be accepted and will be rejected summarily forthwith.
 8. The department will not be responsible for any delay on account of late submission of tender due to online submission.
 9. Physical submission of bids is not allowed.
 10. The bidder shall ensure that scanned copy of all the schedules as asked in tender document have been filled up and attached with the bid submitted in electronic format.
 11. The acceptance of the tender will rest with the competent authority who does not bind itself to accept the lowest tender, and reserves to itself the authority to reject any or all the tenders received without assigning any reason.
 12. No refund of tender fee/e tender processing fee is claimable for tenders not accepted or forms not submitted.
 13. All other conditions shall be prevailing as detailed out in the departmental tender document (in the respective sections/ volumes).

(K L Meena)
Chief Engineer (O&M)
RVUNL, STPS, Suratgarh