

RAJASTHAN RAJYA VIDYUT UTPADAN NIGAM LIMITED



Corporate Identity Number (CIN)-U40102RJ2000SGC016484

Regd. Off. & H.O.: Vidhyut Bhawan, Janpath, Jyoti Nagar, Jaipur-302005.



OFFICE OF THE SUPERINTENDING ENGINEER (PROCUREMENT)

SURATGARH SUPER CRITICAL THERMAL POWER PROJECTS SURATGARH-335804, Distt. SriGanganagar (Rajasthan) ☎ TELEPHONE# 01509-245458

Email: seproc.supercritical.stps@rrvun.com Website: www.rvunl.com

Tender Notice

E-Tenders/ SPPP-tenders are invited for Procurement of following items through website www.eproc.rajasthan.gov.in/ www.sppp.rajasthan.gov.in. The tender documents including detailed NIT, pre-qualifying requirements and specifications can be downloaded as detailed below from the website www.eproc.rajasthan.gov.in/ www.sppp.rajasthan.gov.in and the interested bidders will to submit their tender in electronic format on this website with their digital signatures.

S. No.	Tender No:	Description of material	Qty	Estimated Cost (Rs.)	Tender Cost(Rs.)	Either Bid Security or BID Declaration	Processing Fee(Rs.)	Start date & time of downloading of Tender document	Start date and time for online submission	Last date & time for downloading of Tender document	Last date & time of online / offline submission of Bid	Last date & time for submission of details of UTR No toward Tender cost, tender processing fees &EMD	Date & time of opening of Technical bid
1	TN-SC-Proc. -44	Supply of Capacitors for 2X660MW, Unit # 7 & 8 of SSCTPP, Suratgarh.	LS	415360	236	8307	NIL	11:00Hrs 30.07.21	11:00Hrs 30.07.21	11:30Hrs 12.08.21	13:00Hrs 12.08.21	13:00Hrs 12.08.21	15:30Hrs 13.08.21
2	TN-SC-Proc.-48	Supply of MS Steel Items for 2X660MW, Unit#7 & 8 of SSCTPP, Suratgarh	LS	4306525	590	86131	500	11:00Hrs 30.07.21	11:00Hrs 30.07.21	11:30Hrs 17.08.21	13:00Hrs 17.08.21	13:00Hrs 17.08.21	15:30Hrs 18.08.21
3	TN-SC-Proc.-50	Supply of Various types of conveyor Idlers suitable for 1400mm, 1600mm & 1800mm belt width conveyor system of CHP for SSCTPP, Suratgarh.	LS	4556570	590	91131	500	11:00Hrs 30.07.21	11:00Hrs 30.07.21	11:30Hrs 17.08.21	13:00Hrs 17.08.21	13:00Hrs 17.08.21	15:30Hrs 18.08.21
4	TN-SC-Proc.-51	Supply of Various type of Plummer blocks for conveyor system/ equipments at CHP for SSCTPP, Suratgarh.	LS	2344766	236	46895	500	11:00Hrs 30.07.21	11:00Hrs 30.07.21	11:30Hrs 16.08.21	13:00Hrs 16.08.21	13:00Hrs 16.08.21	15:30Hrs 17.08.21
5	TN-SC-Proc.-57	Supply of Indicating Lamps for 2x660 mw, u#7 & u#8 of SSCTPP, Suratgarh.	LS	424776	236	8496	NIL	11:00Hrs 30.07.21	11:00Hrs 30.07.21	11:30Hrs 12.08.21	13:00Hrs 12.08.21	13:00Hrs 12.08.21	15:30Hrs 13.08.21
6	TN-SC-Proc.-63	Supply of various type of Conveyor Pulleys suitable for 1400mm, 1600mm & 1800mm belt width conveyor system of CHP for SSCTPP, Suratgarh	LS	14882932	1180	297659	1000	11:00Hrs 30.07.21	11:00Hrs 30.07.21	11:30Hrs 27.08.21	13:00Hrs 27.08.21	13:00Hrs 27.08.21	15:30Hrs 28.08.21

7	TN-SC-Proc.-64	Supply of Spare parts of Flame Scanner for u#7 of SSCTPP, Suratgarh.	LS	1284817	236	25696	500	11:00Hrs 30.07.21	11:00Hrs 30.07.21	11:30Hrs 16.08.21	13:00Hrs 16.08.21	13:00Hrs 16.08.21	15:30Hrs 17.08.21
8	TN-SC-Proc.-65	Supply of Motorcycle for transportation of CISF personnel at SSCTPP, Suratgarh	LS	240000	236	4800	NIL	11:00Hrs 30.07.21	11:00Hrs 30.07.21	11:30Hrs 12.08.21	13:00Hrs 12.08.21	13:00Hrs 12.08.21	15:30Hrs 13.08.21
9	TN-SC-Proc.-66	Supply of Non-fabric Alum(Qty.720MT) for U#7 & 88 for SSCTPP, Suratgarh	LS	8411040	590	168221	1000	11:00Hrs 30.07.21	11:00Hrs 30.07.21	11:30Hrs 17.08.21	13:00Hrs 17.08.21	13:00Hrs 17.08.21	15:30Hrs 18.08.21
10	TN-SC-Proc-67	Supply of Consumable & Non-consumable items under category 'Lighting items' for 2X660 MW, U#7 & U#8 of SSCTPP, Suratgarh.	LS	3963050	590	79261	500	11:00Hrs 30.07.21	11:00Hrs 30.07.21	11:30Hrs 17.08.21	13:00Hrs 17.08.21	13:00Hrs 17.08.21	15:30Hrs 18.08.21
11	TN-SC-Proc-68	Supply of Consumable & Non-consumable items under category 'Electrical Lugs' for 2X660 MW, U#7 & U#8 of SSCTPP, Suratgarh.	LS	205430	236	4109	NIL	11:00Hrs 30.07.21	11:00Hrs 30.07.21	11:30Hrs 12.08.21	13:00Hrs 12.08.21	13:00Hrs 12.08.21	15:30Hrs 13.08.21
12	TN-SC-Proc-69	Supply of Consumable & Non-consumable items under category 'Electrical Fuses' for 2X660 MW, U#7 & U#8 of SSCTPP, Suratgarh.	LS	862040	236	17241	NIL	11:00Hrs 30.07.21	11:00Hrs 30.07.21	11:30Hrs 12.08.21	13:00Hrs 12.08.21	13:00Hrs 12.08.21	15:30Hrs 13.08.21
13	TN-SC-Proc-70	Supply of Flexible Gear Couplings for conveyor system & equipment at CHP for SSCTPP, Suratgarh	LS	1640790	236	32816	500	11:00Hrs 30.07.21	11:00Hrs 30.07.21	11:30Hrs 16.08.21	13:00Hrs 16.08.21	13:00Hrs 16.08.21	15:30Hrs 17.08.21

1. The tender documents can be downloaded from the website www.eproc.rajasthan.gov.in./www.sppp.rajasthan.gov.in. In case of download of tender document, it is necessary to enclosed tender cost with tender document.
2. Purchase/ Downloading of tender documents are essential for participating in tender. Any tender/ bid received without tender cost shall not be entertained for further processing.

The Pre-qualifying requirement of tender No. TN-SC-PROC-44 “Supply of Capacitors at SSCTPP, Suratgarh.” is as under:

1. The bidder should be the original manufacturer of Capacitors or authorized dealer/ distributor. The dealer/ distributor will have to furnish valid authorization certificate from their principal manufacturer.
2. The average annual turnover of the bidder in the preceding three Financial years as on date of opening bid should not be less than estimated cost i.e.Rs.4.20 lacs. For this purpose bidder should submit audited balance sheet with P&L statement or Income tax return with computing sheet(s)
3. The bidder should have executed supplies of various type of Capacitors in any NTPC/ Govt. / Semi Govt./ PSU any reputed organization during last 7 years as on date of bid opening with either of following: -
Three executed completed order, as above, each costing not less than the amount of 40% of the estimated cost each.

OR

Two executed/ completed order, as above, each costing not less than the amount of 50% of the estimated cost each.

OR

One executed/ completed order, as above, costing not less than the amount of 80% of the estimated cost. In case of dealer/ distributors Purchase order copies in Favour of manufacturer are also acceptable.

4. The bidder should provide completion certificate/ tax invoice/ performance certificate of above executed purchase orders.
5. The bidder should have valid GST registration and PAN Number and submit latest GST return.

The Pre-qualifying requirement of tender No. TN-SC-PROC-48 “MS Steel” at SSCTPP, Suratgarh. is as under:

1. The bidder should be the original manufacturer of MS Steel or authorized dealer/ distributor. The dealer/ distributor will have to furnish valid authorization certificate from their principal manufacturer.
2. The average annual turnover of the bidder in the preceding three Financial years as on date of opening bid should not be less than estimated cost i.e.Rs.43.07 lacs. For this purpose bidder should submit audited balance sheet with P&L statement or Income tax return with computing sheet(s)
3. The bidder should have executed supplies of MS Steel items to any Thermal Power Station/ NTPC/ Govt. / Semi Govt./ PSU any reputed organization during last 7 years ending last day of the month previous to bid opening date either of following: -
Three executed completed order, as above, each costing not less than the amount of 40% of the estimated cost.

OR

Two executed/ completed order, as above, each costing not less than the amount of 50% of the estimated cost.

OR

One executed/ completed order, as above, costing not less than the amount of 80% of the estimated cost.

4. The bidder should provide completion certificate/ tax invoice/ performance certificate of above executed purchase orders.
5. The bidder should have valid GST registration and PAN Number and submit latest GST return.

The Pre-qualifying requirement of tender No. TN-SC-PROC-50 “Various type of conveyor Idlers suitable for 1400mm, 1600mm, 1800mm belt width conveyor system of CHP for Unit # 7 & 8 of 2 X 660 MW at SSCTPP, Suratgarh.” is as under:

1. The bidder should be original manufacturer of Various type of conveyor Idlers suitable for 1400mm, 1600mm, 1800mm belt width conveyor system of CHP/ same items or authorized dealer/ distributor. The dealer/ distributor will furnish valid authorization certificate from their principal manufacturer.
2. The average annual turnover of the bidder in any 3 Financial years of preceding last 4 completed Financial years as on date of bid opening should not be less than Rs. 4556570/- for this purpose bidder should submit audited balance sheet with profit loss statement OR income tax return with computing sheet(s).
3. The bidder should have executed supplies of Various type of conveyor Idlers suitable for 1400mm, 1600mm, 1800mm belt width conveyor system of CHP/ same items to any Thermal Power Station/ NTPC/ Govt. Deptt./ Semi Govt. Deptt./ PSUs during last 7 years ending last day of the month previous to bid opening date either of following: -
Three executed completed order, as above, each costing not less than the amount of 40% of the estimated cost.

OR

Two executed/ completed order, as above, each costing not less than the amount of 50% of the estimated cost.

OR

One executed/ completed order, as above, costing not less than the amount of 80% of the estimated cost.

4. The bidder should provide completion certificate/ tax invoice/ performance certificate of above executed purchase orders.
5. The bidder should have valid GST and PAN Number, and submit latest GST return.

The Pre-qualifying requirement of tender No. TN-SC-PROC-51 “Various type of Plummer blocks for conveyor system/ equipments at CHP for Unit # 7 & 8 of 2 X 660 MW at SSCTPP, Suratgarh.” is as under:

1. The bidder should be original manufacturer of Various type of Plummer blocks for conveyor system/ equipments/ same items or authorized dealer/ distributor. The dealer/ distributor will furnish valid authorization certificate from their principal manufacturer.
2. The average annual turnover of the bidder in any 3 Financial years of preceding last 4 completed Financial years as on date of bid opening should not be less than Rs. 2344766/- for this purpose bidder should submit audited balance sheet with profit loss statement OR income tax return with computing sheet(s).
3. The bidder should have executed supplies of Various type of Plummer blocks for conveyor system/ equipments/ same items to any Thermal Power Station/ NTPC/ Govt. Deptt./ Semi Govt. Deptt./ PSUs during last 7 years ending last day of the month previous to bid opening date either of following: -
Three executed completed order, as above, each costing not less than the amount of 40% of the estimated cost.

OR

Two executed/ completed order, as above, each costing not less than the amount of 50% of the estimated cost.

OR

One executed/ completed order, as above, costing not less than the amount of 80% of the estimated cost.

4. The bidder should provide completion certificate/ tax invoice/ performance certificate of above executed purchase orders.
5. The bidder should have valid GST and PAN Number, and submit latest GST return.

The Pre-qualifying requirement of tender No. TN-SC-PROC-57 “Supply of Consumable & Non-consumable items under category ‘Indicating Lamp’ for Unit # 7 & 8 of 2 X 660 MW at SSCTPP, Suratgarh.” is as under:

1. The bidder should be original manufacturer of Indicating Lamp or authorized dealer/ distributor. The dealer/ distributor will furnish valid authorization certificate from their principal manufacturer.
2. The average annual turnover of the bidder in any 3 Financial years of preceding last 4 completed Financial years as on date of bid opening should not be less than Rs. 425000/- for this purpose bidder should submit audited balance sheet with profit loss statement OR income tax return with computing sheet(s).
3. The bidder should have executed supplies of Indicating Lamp to any Thermal Power Station/ NTPC/ Govt. Deptt./ Semi Govt. Deptt./ PSUs during last 7 years ending last day of the month previous to bid opening date either of following: -
Three executed completed order, as above, each costing not less than the amount of 40% of the estimated cost.

OR

Two executed/ completed order, as above, each costing not less than the amount of 50% of the estimated cost.

OR

One executed/ completed order, as above, costing not less than the amount of 80% of the estimated cost.

4. The bidder should provide completion certificate/ tax invoice/ performance certificate of above executed purchase orders.
5. The bidder should have valid GST and PAN Number, and submit latest GST return.

The Pre-qualifying requirement of tender No. TN-SC-PROC-63 “Various type of conveyor pulleys suitable for 1400mm, 1600mm & 1800mm belt width conveyor system of CHP, for Unit # 7 & 8 of 2 X 660 MW at SSCTPP, Suratgarh.” is as under:

1. The bidder should be original manufacturer of Various type of conveyor pulleys suitable for 1400mm, 1600mm & 1800mm belt width conveyor system/ same items or authorized dealer/ distributor. The dealer/ distributor will furnish valid authorization certificate from their principal manufacturer.
2. The average annual turnover of the bidder in any 3 Financial years of preceding last 4 completed Financial years as on date of bid opening should not be less than Rs. 14882932/- for this purpose bidder should submit audited balance sheet with profit loss statement OR income tax return with computing sheet(s).
3. The bidder should have executed supplies of Various type of conveyor pulleys suitable for 1400mm, 1600mm & 1800mm belt width conveyor system/ same items to any Thermal Power Station/ NTPC/ Govt. Deptt./ Semi Govt. Deptt./ PSUs during last 7 years ending last day of the month previous to bid opening date either of following: -
Three executed completed order, as above, each costing not less than the amount of 40% of the estimated cost.

OR

Two executed/ completed order, as above, each costing not less than the amount of 50% of the estimated cost.

OR

One executed/ completed order, as above, costing not less than the amount of 80% of the estimated cost.

4. The bidder should provide completion certificate/ tax invoice/ performance certificate of above executed purchase orders.
5. The bidder should have valid GST and PAN Number, and submit latest GST return.

The Pre-qualifying requirement of tender No. TN-SC-PROC-64 “Supply of Flame Scanner for Unit # 7 of at SSCTPP, Suratgarh.” is as under:

1. The bidder should be original manufacturer of Flame Scanner/ same items or authorized dealer/ distributor. The dealer/ distributor will furnish valid authorization certificate from their principal manufacturer.
2. The average annual turnover of the bidder in any 3 Financial years of preceding last 4 completed Financial years as on date of bid opening should not be less than Rs. 1284817/- for this purpose bidder should submit audited balance sheet with profit loss statement OR income tax return with computing sheet(s).
3. The bidder should have executed supplies of Flame Scanner/ same items to any Thermal Power Station/ NTPC/ Govt. Deptt./ Semi Govt. Deptt./ PSUs during last 7 years ending last day of the month previous to bid opening date either of following: -
Three executed completed order, as above, each costing not less than the amount of 40% of the estimated cost.

OR

Two executed/ completed order, as above, each costing not less than the amount of 50% of the estimated cost.

OR

One executed/ completed order, as above, costing not less than the amount of 80% of the estimated cost.

4. The bidder should provide completion certificate/ tax invoice/ performance certificate of above executed purchase orders.
5. The bidder should have valid GST and PAN Number, and submit latest GST return.

The Pre-qualifying requirement of tender No. TN-SC-PROC-65 “Motor cycle for transportation of CISF personnel, at SSCTPP, Suratgarh.” is as under:

1. The bidder should be original manufacturer of Motor cycle/ same items or authorized dealer/ distributor. The dealer/ distributor will furnish valid authorization certificate from their principal manufacturer.
2. The average annual turnover of the bidder in any 3 Financial years of preceding last 4 completed Financial years as on date of bid opening should not be less than Rs. 240000/- for this purpose bidder should submit audited balance sheet with profit loss statement OR income tax return with computing sheet(s).
3. The bidder should have valid GST and PAN Number, and submit latest GST return.

The Pre-qualifying requirement of tender No. TN-SC-PROC-66 “Supply of Non Fabric Alum(Qty.720MT) for Unit # 7 & 8 of 2 X 660 MW at SSCTPP, Suratgarh.” is as under:

1. The bidder should be original manufacturer of Non Fabric Alum or authorized dealer/ distributor. The dealer/ distributor will furnish valid authorization certificate from their principal manufacturer.
2. The average annual turnover of the bidder in the preceding three financial years as on date of bid opening shall not be less than Rs. 8411040/- for this purpose income tax return with computing sheet or audited balance sheet with profit loss statement.
3. The bidder should have executed supplies of Non Fabric Alum NTPC/ Govt. Deptt./ Semi Govt. Deptt./ PSUs during last 7 years ending last day of the month previous to bid opening date either of following: -
Three executed completed order, as above, each costing not less than the amount of 40% of the estimated cost.

OR

Two executed/ completed order, as above, each costing not less than the amount of 50% of the estimated cost.

OR

One executed/ completed order, as above, costing not less than the amount of 80% of the estimated cost.

In case of dealers/ distributors, Purchase order copies in favour of manufacturer are also acceptable.

4. The bidder should provide completion certificate/ tax invoice/ performance certificate of above executed purchase orders.
5. The bidder should have valid GST registration and submit latest GST return.

The Pre-qualifying requirement of tender No. TN-SC-PROC-67 “Supply of Consumable & Non-consumable items under category ‘Lighting Items’ for Unit # 7 & 8 of 2 X 660 MW at SSCTPP, Suratgarh.” is as under:

1. The bidder should be original manufacturer of Lighting Items/ same items or authorized dealer/ distributor. The dealer/ distributor will furnish valid authorization certificate from their principal manufacturer.
2. The average annual turnover of the bidder in any 3 Financial years of preceding last 4 completed Financial years as on date of bid opening should not be less than Rs. 3963050/- for this purpose bidder should submit audited balance sheet with profit loss statement OR income tax return with computing sheet(s).
3. The bidder should have executed supplies of Lighting Items/ same/ similar items to any Thermal Power Station/ NTPC/ Govt. Deptt./ Semi Govt. Deptt./ PSUs during last 7 years ending last day of the month previous to bid opening date either of following: -
Three executed completed order, as above, each costing not less than the amount of 40% of the estimated cost.

OR

Two executed/ completed order, as above, each costing not less than the amount of 50% of the estimated cost.

OR

One executed/ completed order, as above, costing not less than the amount of 80% of the estimated cost.

4. The bidder should provide completion certificate/ tax invoice/ performance certificate of above executed purchase orders.

5. The bidder should have valid GST and PAN Number, and submit latest GST return.

The Pre-qualifying requirement of tender No. TN-SC-PROC-68 “Supply of Consumable & Non-consumable items under category ‘Electrical Lugs’ for Unit # 7 & 8 of 2 X 660 MW at SSCTPP, Suratgarh.” is as under:

1. The bidder should be original manufacturer of Electrical Lugs/ same items or authorized dealer/ distributor. The dealer/ distributor will furnish valid authorization certificate from their principal manufacturer.
2. The average annual turnover of the bidder in any 3 Financial years of preceding last 4 completed Financial years as on date of bid opening should not be less than Rs. 205430/- for this purpose bidder should submit audited balance sheet with profit loss statement OR income tax return with computing sheet(s).
3. The bidder should have executed supplies of Electrical Lugs/ same/ similar items to any Thermal Power Station/ NTPC/ Govt. Deptt./ Semi Govt. Deptt./ PSUs during last 7 years ending last day of the month previous to bid opening date either of following: -
Three executed completed order, as above, each costing not less than the amount of 40% of the estimated cost.

OR

Two executed/ completed order, as above, each costing not less than the amount of 50% of the estimated cost.

OR

One executed/ completed order, as above, costing not less than the amount of 80% of the estimated cost.

4. The bidder should provide completion certificate/ tax invoice/ performance certificate of above executed purchase orders.
5. The bidder should have valid GST and PAN Number, and submit latest GST return.

The Pre-qualifying requirement of tender No. TN-SC-PROC-69 “Supply of Consumable & Non-consumable items under category ‘Electrical Fuses’ for Unit # 7 & 8 of 2 X 660 MW at SSCTPP, Suratgarh.” is as under:

1. The bidder should be original manufacturer of Electrical Fuses/ same items or authorized dealer/ distributor. The dealer/ distributor will furnish valid authorization certificate from their principal manufacturer.
2. The average annual turnover of the bidder in any 3 Financial years of preceding last 4 completed Financial years as on date of bid opening should not be less than Rs. 862040/- for this purpose bidder should submit audited balance sheet with profit loss statement OR income tax return with computing sheet(s).
3. The bidder should have executed supplies of Electrical Fuses/ same/ similar items to any Thermal Power Station/ NTPC/ Govt. Deptt./ Semi Govt. Deptt./ PSUs during last 7 years ending last day of the month previous to bid opening date either of following: -
Three executed completed order, as above, each costing not less than the amount of 40% of the estimated cost.

OR

Two executed/ completed order, as above, each costing not less than the amount of 50% of the estimated cost.

OR

One executed/ completed order, as above, costing not less than the amount of 80% of the estimated cost.

4. The bidder should provide completion certificate/ tax invoice/ performance certificate of above executed purchase orders.
5. The bidder should have valid GST and PAN Number, and submit latest GST return.

The Pre-qualifying requirement of tender No. TN-SC-PROC-70 “Flexible Gear Coupling for conveyor system & equipment at CHP for Unit # 7 & 8 of 2 X 660 MW at SSCTPP, Suratgarh.” is as under:

1. The bidder should be original manufacturer of Flexible Gear Coupling/ same items or authorized dealer/ distributor. The dealer/ distributor will furnish valid authorization certificate from their principal manufacturer.
2. The average annual turnover of the bidder in any 3 Financial years of preceding last 4 completed Financial years as on date of bid opening should not be less than Rs. 1640790/- for this purpose bidder should submit audited balance sheet with profit loss statement OR income tax return with computing sheet(s).
3. The bidder should have executed supplies of Flexible Gear Coupling/ same/ similar items to any Thermal Power Station/ NTPC/ Govt. Deptt./ Semi Govt. Deptt./ PSUs during last 7 years ending last day of the month previous to bid opening date either of following: -
Three executed completed order, as above, each costing not less than the amount of 40% of the estimated cost.

OR

Two executed/ completed order, as above, each costing not less than the amount of 50% of the estimated cost.

OR

One executed/ completed order, as above, costing not less than the amount of 80% of the estimated cost.

4. The bidder should provide completion certificate/ tax invoice/ performance certificate of above executed purchase orders.
5. The bidder should have valid GST and PAN Number, and submit latest GST return.

Chief Engineer (STPS-SC)
SSCTPP, RVUN, Suratgarh